

HOW TO BACK UP, UNLOCK OR MODIFY COPY-PROTECTED SOFTWARE

\$2.50

hardcore


for the serious Apple-user and hard-core **computist** 3

**MAKING YOUR OWN
ADVENTURE MAPS**

**PARAMETERS FOR
COPY II PLUS**

**NO MORE BUGS:
THE SEQUEL**

**REVEALING HIDDEN
LOCATIONS ON THE
TEXT PAGE**




REPLAY II

Apple Program Copy And Development System

Now for
IIE Also

- Disk Formatting Irrelevant
- Does not interfere with other cards
- Card is transparent until copy is desired
- Copies all 64K with *no* compression
- Menu driven
- Copy and restart in under 15 seconds
- Copies memory resident programs
- Analyze programs
- Development tool
- Transparent step & trace
- Backwards & forward disassembly scroll



Why ours is better!

1. Accurate copy of memory
2. Language card not needed to copy or run - when using Replay Card
3. Fast copy & restart - 15 seconds -
4. Analysis programs and 60 pages of documentation
5. Copy system in eeprom - No need to boot other disks at copy time -

To order or request info:
Write or call

Micro-Analyst, Inc.

P.O. Box 15003
Austin, TX 78761
(512) 926-4527

Dealer Inquiries Welcome

Cost:

\$130.00 (includes postage)
Outside U.S./Canada add \$10 shipping
Texas residents add \$7.50 sales tax
VISA/MASTER CARD accepted!!

REPLAY II is intended to be used as an analysis tool, for program development, and for making archival backup copies.

*Apple is a registered trademark for Apple Computers Inc.

REPLAY II is an interface card that is slot independent. Users can stop a program, examine and change memory, or copy the program, and restart. Control of the APPLE is obtained by pressing the remote switch which comes on an 18 inch cord outside the APPLE. REPLAY II does not copy the original disk, rather it copies the program executing in memory. If a copy is desired a blank disk is inserted in drive 1 and the options on the menu are contained in the eeprom on the REPLAY II card, no other disk needs to be booted for copying, unlike other copy cards. The very act of booting another disk alters memory which is detectable by some protected software.

REPLAY II does not change ANY memory. Extra memory is buffered to allow copying and analysis without altering the original memory contents. Other copy cards always change specific points in the original memory. REPLAY II faithfully reproduces the lower 48K of memory in a fast load format. The upper 16K can also be copied for a 64K copy. Standard DOS 3.3 files are created automatically for storage on floppy or hard disks. A RAM card is needed for this.

REPLAY II is fully documented in a 60 page manual. Utility programs supplied with the REPLAY II card include Program Analysis, Comparisons, Packing and Compression. A language card is not needed to run packed program copies.

Because most programs are written in Assembly language, the user should be familiar with Assembly in order to fully utilize the advanced Analysis and Packing programs. Users can now freeze a binary program and perform a transparent step or trace while continuous disassembly is shown. View text or hires during trace.

REPLAY II can automatically move protected APPLESOFT programs to a standard DOS 3.3 disk for listing or modification.

Now game players can save a game at any level and QUICKLY restart with the REPLAY II card. Users can freeze games, change variables to obtain unlimited ships or power, etc., then restart the program. Saving high scores is easy!

Minimum requirements are an APPLE II and a single disk drive.

hardcore

for the serious Apple-user and hard-core **computist 3**

FOLLOW-UP

- No More Bugs: The Sequel 4
A few glitches and some suggestions for improvement were incorporated into this article, which clarifies how to use SoftKey's checksums.

READER'S SOFTKEY AND COPY EXCHANGE

- Backing Up Visiplot/Visitrend 6
Copy Tip for Sneakers 6
Copying Wizardry with Locksmith 7

SOFTKEY

- Bag of Tricks. 8

ADVANCED APPLICATIONS

- Hidden Locations Revealed 10

SOFTKEY

- More on Multiplan 12

PARAMETERS


- More Params for Copy II Plus. 14

ADVANCED PLAYING TECHNIQUES

- Choplifter 23

ADVENTURE TIPS

- Cranston Manor and Strange Odyssey. 25




SPECIAL FEATURE

- Map Maker. 26
For adventure game writers and enthusiasts, we present a program to construct one's own maps.

Departments

- Note to Subscribers 2
Letters 3
Advertising Index 30



Program Index

- Make Tables 27
Editor 28
Display Map (Hex Dump) 29
Editor.C 30
Display Map.S 31
Clear 32
Clear.Obj (Hex Dump) 32

Checksum Index

- Start Checksoft 4
Checkbin 5
Make Tables 28
Editor 29
Display Map 29
Editor.C 30
Clear.Obj 32

*Checksums for binary listings are found alongside the hexadecimal dumps, to the right of a dotted line. Checksums for Applesoft are listed separately. More information on SoftKey's Checksums can be found in **HARDCORE COMPUTIST #1**. To order back issues, send \$2.50 (plus \$1.00 for postage in North America; \$2.00 for all others) to **HARDCORE**, P.O. Box 44549, Tacoma, Washington 98444.*

Some Information for Subscribers

I just received my first issue of **HARDCORE COMPUTIST**. I think it's great, but I am slightly confused. I hope you can help me.

The issue I received says it's **HARDCORE COMPUTIST #1** (the one with green bugs on the front). On page 3 it says that you just split **HARDCORE COMPUTING** into **CORE** and **HARDCORE COMPUTIST**.

On that same page it says that **CORE's Graphics Issue** and **HC #1** make up the legendary **HARDCORE COMPUTING #4**. What I want to know is how to get the first three issues of **HARDCORE COMPUTING** plus the updates.

In addition, I recently received a gray flyer with a red apple on the cover from you. The flyer mentions that **SoftKey** made something called **THE BEST OF HARDCORE COMPUTING**, which is available for \$9.95. Is this a consolidation of the first issues and their updates? If so, where can I buy it?

Vinny Perez
Alameda, California

*We apologize to all those who have been confused by our recent format and name changes. As our original subscribers know, our magazine used to be published sporadically—as many as six months would elapse between issues. For commercial and production reasons, we decided to split the magazine content of the old **HARDCORE COMPUTING**. In this way we could publish our magazine monthly, make mass market distribution more feasible, ease our production headaches, and increase*

*the advertising potential per issue. Thus far, the change has worked for the better and we have been coming out monthly (more or less) since April. To help those still confused, here is a complete list of **HARDCORE/CORE** publications.*

HARDCORE COMPUTING #1 (old series)

Update 1.1 — newsletter

HARDCORE COMPUTIST #2 (old series)

Update 2.1 — newsletter

HARDCORE COMPUTIST #3 (old series)

Update 3.1 — newsletter

Update 3.2 — newsletter

CORE Graphics (Spring 1983)—late April

HARDCORE COMPUTIST #1—early June

HARDCORE COMPUTIST #2—early July

CORE Utilities (Summer 1983)—August

HARDCORE COMPUTIST #3—in your hands

*Furthermore, since we have sold out of **HARDCORE COMPUTING #1** and **#2 (old series)**, we have decided to publish a consolidation of the old series, rather than reprinting them. **THE BEST OF HARDCORE COMPUTING** is available at a pre-publication price of \$9.95.*

Hopefully, this explanation will clear up some confusion. If you have any comments or suggestions for either of our magazines, please send them to us. And, once again, sorry for the confusion.

hardcore

Publisher/Editor:

Charles R. Haight

Managing Editor:

Dennis Bloomquist

Manuscripts Editor:

Julie Joringdal

Production Manager:

David C. Smith

Technical Editing:

Gary Peterson

Robb Canfield

Ray Darrah

Dave Thompson

Advertising:

Tanyalee Erwin

Hardcore Advertising

3710-100th Street SW

Tacoma, Washington 98499

Circulation Manager:

Tanya Goodroad

Illustrators:

Todd Osborne

Doug West

Luke West

Steve West

Cover Art:

Todd Osborne

Typeset via Modem:

Graphic Services

Tacoma, WA

Printing:

Grange Printing, Inc.

Seattle, WA

Publishing:

Softkey Publishing

P.O. Box 44549

Tacoma, WA 98444

(206) 581-6038

Entire contents copyright 1983 by SoftKey Publishing. All rights reserved. Copying done for other than personal or internal reference (without express written permission from the publisher) is prohibited.

The editorial staff assumes no liability or responsibility for the products advertised in the magazine. Any opinions expressed by the authors are not necessarily those of **HARDCORE COMPUTIST** or SoftKey Publishing.

Address all editorial, advertising, and subscription inquiries to the proper department, **HARDCORE COMPUTIST**, P.O. Box 44549, Tacoma, WA 98444. (For subscription information see page 30.) Return postage must accompany all manuscripts, drawings, photos, disks, or tapes if they are to be returned. No responsibility can be assumed for unsolicited manuscripts. We suggest you send only copies.

DOMESTIC DEALER RATES sent upon request, or call (206) 581-6038.

Apple usually refers to the Apple II or II Plus computer and is a trademark of Apple Computers, Inc.

INPUT INPUT INPUT

Zork Footnote

I would like to provide an epilogue to the "Zork Softkey" (HARDCORE COMPUTIST #1, page 5). The author noted that this method works for *Zork I, II, and III*. I have discovered that this method will also copy Infocom's *Deadline*. I have not tried this on *Starcross* or *Suspended* yet, but I would guess that they are protected similarly.

Mark Erdman
Geneseo, Illinois

Family Affair

I really enjoyed your magazine, even though I only ordered a sample issue. Therefore I am subscribing for an entire year. It's great when somebody can spot the articles from the ads in a magazine.

Richard Kahn
New York City

Your magazine is most informative. I especially appreciate Jerry Scott's column: "Using Visicalc for: Job Costing."

I can't wait for more information on data base programs. Would you recommend and explain the differences among those available?

Helen Kahn
(Mother of the above
trying to keep up.)
New York City

Hi, Mom! Our companion magazine, CORE, will publish a special issue devoted to data base information, programs, etc. We hope that issue will cover your needs.

Leaping Lizards!

I would like to bring some information to light. By accident I did not put a TAB over the write-protect notch on my copy of PFS, and despite the warning in HARDCORE COM-

PUTIST #1 (page 9), I did not turn into a lizard.

If anyone should turn into a lizard, I know a great zoologist.

David Muskatel
Westbury, New York

How Free the Press?

I am convinced that a subscription to your publication will be a worthwhile expense—not so much from what your publication will cover, but from the resistance that you ran into from other sources when you attempted to publish the data. I too have run into that same resistance when I attempted to publish my own federal income tax software program without "screwing" the public by going through a middle man and

charging them an arm and a leg to purchase the program. I too have some interesting stories to tell about coming up against the establishment and trying to market something worthwhile and reasonably priced.

Stanley M. Janow
TAXMAN
Hayward, California

Correction

The cover of the last issue of HARDCORE COMPUTIST was showered with compliments and praise; however, we incorrectly identified the cover artist in our masthead as Steve West. The actual illustrator was his brother, Luke West. Steve is working on the cover for HARDCORE #4. Our apologies to the West brothers for this mistake.

"BACK-UP" YOUR DISKS
ESSENTIAL DATA DUPLICATOR


The most powerful disk duplicator available for your Apple[®] computer. EDD can "Back-Up" much more protected Apple software than all of your other copy programs put together. Since EDD is almost totally automatic, no longer will you have to put up with changing parameters to duplicate most disks, although every parameter is fully documented in our extensive manual. We also are providing updated program parameter lists.

- EDD rarely needs parameter changing
- Automatically finds the beginning of each track
- Accurately finds "Auto-Sync" bytes and their lengths
- Can copy 1/4 tracks
- Plus many more features

\$79.95
CA residents add 6%

Runs on: Apple II, II plus, IIE, or III (emulation mode with 1 or 1.3, 3.3 drives)

TO ORDER OR FOR MORE INFO, CALL 707-257-2420
UTILICO SOFTWARE
3377 Solano Ave., Suite 352, Napa, CA 94558



Well, we tried. **HARDCORE COMPUTIST #1**, our "No More Bugs" issue, contained two extensive utilities to help readers identify their typographical errors in listings from our magazines. Unfortunately, our "Start Checksoft" listing had two (gasp!) bugs in it, and there was some confusion over how to use the two programs. The following should help eradicate any problems users may face in operating these programs.

The Bugs

Simply add line 575 below to get the program in running condition:

575 IF AS = "N" THEN 640

Perfectionists should also add a quotation mark to the end of line 180 so that it reads:

180 IF PEEK (846) = 0 THEN RMS = "YES"

Your program will now run correctly and its checksums should match those reproduced below.

START CHECKSOFT

1 - \$97CE	210 - \$0C12	440 - \$2F6D
2 - \$F48B	220 - \$C7E7	450 - \$83C9
3 - \$B8EC	230 - \$6177	460 - \$5AAC
10 - \$E7C9	240 - \$E1D7	470 - \$81AA
20 - \$DCE6	250 - \$D19F	480 - \$A263
30 - \$781C	260 - \$1798	490 - \$5173
40 - \$A12C	270 - \$C0BC	500 - \$7B2F
50 - \$C14E	280 - \$DD2C	510 - \$9CF0
60 - \$30A3	290 - \$8C51	520 - \$04EE
70 - \$D960	300 - \$B821	530 - \$E8E2
80 - \$D228	310 - \$2222	540 - \$B594
90 - \$CC76	320 - \$633C	550 - \$DC0F
100 - \$E735	330 - \$DCC6	560 - \$2540
110 - \$FFB5	340 - \$29D7	570 - \$3519
120 - \$41CB	350 - \$3516	
130 - \$7AD8	360 - \$12EC	575 - \$C744
140 - \$9536	370 - \$0437	580 - \$5443
150 - \$4F85		590 - \$F90A
160 - \$817F	380 - \$A7F2	600 - \$11D8
170 - \$C8EA	390 - \$8042	610 - \$6B79
	400 - \$9523	620 - \$ED97
180 - \$740C	410 - \$DDC5	630 - \$233D
190 - \$F3D4	420 - \$C2C5	640 - \$5EC6
200 - \$A2CF	430 - \$9567	650 - \$DBBD

NO MORE BUGS: the sequel

How to Use the Checksoft Program

Checksoft is our program to inspect your Applesoft listings for any typographical errors. Using Checksoft is extremely easy if you follow the three steps below.

In the first issue of **CORE** (Spring 1983), we published a program entitled "Faster Shapes". That program will serve as an example of how to use Checksoft.

1) Since we always list our checksums in the default configuration (Configuration 1), you do not need to run "Start Checksoft".

Thus, you only need to **BRUN CHECKSOFT** to enable the program.

2) Type in the "Faster Shapes" Applesoft listing on pages 36-37 of **CORE**. If you have already typed in that listing, simply load it into memory.

3) Press the ampersand key (&) and return. The checksums for the first twenty lines will appear. Compare the checksums on your screen with the checksums for "Faster Shapes" on page 32 of **HARDCORE COMPUTIST #1**. If they match exactly, your program has been typed in correctly up to line 200, so press the space bar to display the next twenty lines.

If the checksums don't match, then there is an error in the first line in which your checksums disagree from ours.

How to Use Checkbin

Checkbin is our program to inspect your binary listing for typographical errors. Like Checksoft, Checkbin is very easy to use.

Before starting, however, modify the Checkbin hex dump which appears on page 22 of **HARDCORE COMPUTIST #1**.

0370: 0A 85 0A AD 00 C0 10 FB

Note that the last two values have changed. The complete hex dump and its checksums appear below.

Now you are ready to use the Checkbin program.

1) First BRUN the Checkbin program. Many of our machine code listings are loaded into the same area of memory which contains Checkbin (300-3C8). Thus, you should always BRUN Checkbin at some out-of-the-way location, so that the listing you are checking does not overwrite the Checkbin routine. To do this, simply

BRUN CHECKBIN, A\$8000

2) Now type in the "A.L.Shapes" hex dump which appears on page 36 of the Graphics Issue of CORE. If you have already typed it in, BLOAD A.L.SHAPES from the monitor.

3) The last step is to enable the Checkbin routine. To do this, you must specify where "A.L.Shapes" begins and ends in memory. Look on page 32 of *HARDCORE COMPUTIST #1* to find those values (300,3BA) above the checksums for "A.L.Shapes."

You should still be in the monitor. To start the Checkbin routine, type in

300.3BA <ctrl Y, return>

Checksums for Checkbin

BEG: *300.3CD END: 3C8

0300-	20 58 FF BA CA BD 00 01	\$B2E1
0308-	18 69 1F 8D F9 03 85 62	\$286C
0310-	E8 BD 00 01 69 00 8D FA	\$D2ED
0318-	03 85 63 A9 4C 8D F8 03	\$68E2
0320-	60 20 8E FD A9 0A 85 0A	\$2066
0328-	A0 00 84 31 20 A7 FF A9	\$5284
0330-	FF 85 31 A5 3C 85 0B A5	\$0223
0338-	3D 85 0C 20 A7 FF A0 55	\$D448
0340-	A9 10 91 62 A9 FB C8 91	\$6CDF
0348-	62 A0 00 F0 45 A5 3C 29	\$E502

0350-	07 D0 42 38 A9 1F E5 24	\$E2B6
0358-	AA 20 4A F9 A9 A4 20 ED	\$3E81
0360-	FD A5 0B A6 0C 20 41 F9	\$459D
0368-	C6 0A D0 26 20 8E FD A9	\$20D5
0370-	0A 85 0A AD 00 C0 10 FB	\$C644
0378-	8D 10 C0 C9 83 F0 48 C9	\$DD18
0380-	A0 F0 BB C9 9B D0 0B A9	\$F4A9
0388-	EA A0 55 91 62 C8 91 62	\$3194
0390-	A0 00 20 92 FD A9 A0 20	\$68CA
0398-	ED FD B1 3C 48 20 DA FD	\$F970

03A0-	68 6A 45 0B 2A 45 0C 85	\$5DC3
03A8-	0B 45 0C 6A 85 0C 20 BA	\$1DC9
03B0-	FC 90 9A A9 1F E5 24 AA	\$5D93
03B8-	20 4A F9 A9 A4 20 ED FD	\$95A4
03C0-	A5 0B A6 0C 20 41 F9 20	\$B271
03C8-	8E FD 8D 10 C0 60	\$78EC

The ctrl Y works in the same way as the ampersand does for Checksoft.

The first ten lines of the hex dump for "A.L.Shapes" will appear with the checksums on the extreme right of every line. Use these checksums exactly the same way you used the checksums for Checksoft. Press the space bar to examine the next ten lines.

Hopefully, this explanation will have eliminated any problems you may have experienced in using our checksum programs. We appreciate the help of Tom Mackie from Dayton, New Jersey, whose calls helped us locate the bugs and omissions in the original article, as well as Bill Mullica of Antioch, California, and Martin Halpern of Tustin, California, for their suggestions.



FOR APPLE II PLUS, FRANKLIN, APPLE IIe

Font DownLoader*

Expand the capacity of your printer hundreds of times

Load custom fonts into your Apple® Matrix Printer, Pro-writer™ 8510A, OKI® Microline 92, 93, 84 Step II, and Epson® FX and use them with virtually every word processor to turn your printer into a **custom type-setter**. After the fonts are loaded, they will stay in your printer until it's turned off. A font editor is also provided to allow you to create your own graphics, text, foreign language letters, math and electronics symbols to load into your printer.

On-Disk (Specify Printer)
..... \$39.00

*Requires printer interface that adheres to Apple protocol (Tymac, Apple, Epson, etc.) (Will not work with Pkaso, Wizard and some others).

Designed by RAK-Ware

▶ \$100 REWARD ◀

Submit the best or most unique font using the above software and we will make you \$100 richer. Other prizes for the first 25 runners up.

**Dealer and Distributor
Inquiries Invited**

1342 B Rt. 23, Butler, NJ 07405
 201-838-9027



READER'S SOFTKEY AND PARAMETER EXCHANGE



Backing Up Visiplot/Visitrend

Anthony L. Barnett
Australia

VisiCorp
2895 Zanker Road
San Jose, CA 95134

Requirements:

- 48K Apple with Applesoft in ROM
- One disk drive
- Visiplot/Visitrend
- One blank disk

I work for a government department which recently purchased *Visiplot/Visitrend*. Naturally, a back-up disk was desired. However, the only "legal" way of obtaining one appeared to be making an overseas order directly to VisiCorp.

This is by no means an easy procedure, so a letter was sent to Visi-

Corp at the address in the manual. This was promptly returned by the U.S. Post Office as "undeliverable at this address." Recent magazines were perused to find VisiCorp's current address and the letter was posted again.

VisiCorp was asked whether the order for a back-up could be placed through an Australian agent. Eventually, the terse reply of "no" was received scribbled over a standard form which advised among other things that our request could not be met as we had not sent our disk back-up order form!

Not knowing the *Locksmith* parameters, I began to examine this curious disk for other means to back it up. All the programs are quite listable and FIDable, but a disk check causes a spectacular crash if the original disk is not used.


I determined that the disk check in the main storage program was studying the listing for

about an hour I determined that six bytes needed to be altered to get the back-up to run.

In line 4, the "& A" should be replaced with two colons and, in line 2300, the "CALL 960" should be replaced with four colons.

As the disk check is now eliminated, the back-up works slightly faster when switching to and from main storage. It is also possible to use Speed-DOS from *HARDCORE COMPUTING Update 3.2* (old series), and the switching between programs is then quite fast and tolerable.

It is my view that no program should be protected. Failing this, at least two copies of a business program should be provided. This can be done in the package or as a free back-up on receipt of registration. Another less satisfactory means is to provide a special user copy program (usually "once only" like *Multiplan*).



Sneakers
Sirius Software
10364 Rockingham Drive
Sacramento, CA 95827
\$29.95

Snapshot Card
Dark Star Systems
P.O. Box 140
Amherst, MA 01004
\$129.95 II, II+, Franklin Ace
\$139.95 IIe

Copy Tip for Sneakers

David E. Rentzel
W. Jefferson, OH

- Requirements:
- 48K Apple with Applesoft in ROM
 - One disk drive
 - Snapshot Card
 - One blank disk

Used Snapshot to make a non-protected file of *Sneakers*. The problem is that during portions of the game the disk is accessed to verify the disk's presence.

This can be defeated by making two simple monitor changes:

4FE1-60
94D3-60

The program can now be saved and run without further disk access.

Using Locksmith to Copy Wizardry

John Samborski
Prospect Heights, Illinois

Requirements:

48K Apple, Applesoft in ROM
Locksmith 4.1
One blank disk, initialized
At least one disk drive
Possibly one small Phillips screwdriver and one small standard screwdriver (see step 7, option C)

According to the authors of *Wizardry*, their program uses "state-of-the-art copy-protection." This label fits very well, as it is truly a state-of-the-art program. Robert Woodhead and Andrew Greenberg anticipated the popularity of *Wizardry* when they designed their protection scheme. It's the hardest disk back-up chore I've ever faced.

For all who want the security of a back-up of *Wizardry*, this article provides a complete set of instructions for making a copy. The boot side, then the scenario side will be duplicated using *Locksmith 4.1*.

Copying the Boot Side

- 1) Boot Locksmith 4.1.
- 2) If using one drive, remove Locksmith and insert the *Wizardry* disk. If two drives are available, insert the *Wizardry* disk in drive 2.
- 3) Use the "Automatic Error Retry" option on all tracks listed.
- 4) Copy tracks 0-22 unsynchronized.
- 5) If all is well (it should be), set parameter 36 to 01.
- 6) Copy tracks 0A-0E synchronized.

Step 7: Adjusting the Drive Speed

The *Wizardry* program checks for "preservation of nibble count." Unfortunately, when this kind of protection scheme is used, the drive speed must be absolutely perfect to make a successful copy. Locksmith will do the normal analysis, but when



Wizardry
Sir-Tech
6 Main Street
Ogdensburg, NY 13669
(315) 393-6633

Locksmith 4.1
Omega Microware, Inc.
222 South Riverside Plaza
Chicago, IL 60606
(312) 648-4844
\$99.95

it reaches the point of writing and verifying, some strange digits will be printed on the screen, such as >001D or <000A. These figures indicate the speed difference between the original recording drive and the drive you are using. If the sign is ">", the drive is running slow. If "<" appears, it's running fast. At this point, there are three options available. Read each before deciding which is appropriate.

A) Do nothing. The Apple will try to compensate the speed. Judging by the difference in drive speed, this can take anywhere from three minutes to three weeks. This is recommended only for perfectly adjusted drives.

B) Use the "<" and ">" keys to correct the drive speed. To do this, look at the sign in front of the digits and hit that key. For example, if >001A appears on screen, hit the ">" (shifting is unnecessary). When this key is hit, the bell will ring. Press the space bar to continue. The longer you let the bell ring, the more the speed will be adjusted. Repeat this as needed. When the speed is adjusted to within 0006 (>0006 - <0006), leave it alone and let the drive try to compensate the remainder by itself.

NOTE: For option C, use a blank disk.

C) If the drive speed is substantially off, step B is impractical. The speed will have to be compensated by adjusting a screw inside the drive with a small Phillips screwdriver and a small standard screwdriver. Follow these steps:

- Turn the Apple off.
- Unscrew the four Phillips-head screws which hold the drive cover in place.
- Slide the cover to the rear and off of the drive, so that the tiny screw which controls drive speed can be located. (It's not on the circuit board —leave all screws on the circuit board alone.) It is by the rear cover, mounted horizontally with its head to the right side of the drive. This screw will be used later to correct the drive speed.

—Turn the Apple on and boot Locksmith 4.1.

- Set parameter 36 to 01.
- Copy tracks 0A-0E synchronized.

—When the digits appear on screen showing how far off the drive speed is, use the standard screwdriver to turn the small screw which controls speed. Turn the screw in the direction that was indicated by the ">" or "<" —right increases the speed, left slows it down.

continued on page 13



Softkey for Bag of Tricks

by Neil Taylor

Bag of Tricks
Quality Software
6660 Reseda Blvd., Suite 105
Reseda, CA 91335
(213) 344-6599
\$39.95

Requirements:

Apple II, II+ , IIe or compatible
Blank disk initialized with 48K slave DOS
Bag of Tricks disk

Have you ever booted the *Bag of Tricks* disk and received an irritating message to use the original, when it's already in the drive? Have you ever wanted to avoid the menu and skip right to the needed program? Perhaps you are afraid of crashing the original and can't get a good copy. Here is an easy (albeit somewhat long) way to get an unprotected version.

Basic Procedure

To unprotect the programs on the original disk, each one will have to be loaded by its DOS and then saved by a normal DOS.

The programs loaded by the Bag of Tricks DOS are put at \$800 in memory, which normally is overwritten during the boot process. Before they can be saved, they must be moved to a safe area of memory. Then the programs can be run by a normal DOS.

Loading and Saving

The following procedure for loading and saving TRAX is used in a slightly different form for each of the remaining Bag of Tricks programs: INIT, ZAP, and FIXCAT.

TRAX

- 1) Boot the 3.3 master, then type **FP**. Insert the blank disk and **INIT HELLO**.
- 2) Boot the Bag of Tricks disk (the menu will be displayed).
- 3) After the light goes off, open the drive door.
- 4) Press reset once, wait a couple of seconds, and press it again.
- 5) **CALL -151** to enter the monitor.
- 6) **9489:4C 59 FF**
- 7) Close the drive door.
- 8) **9400G**
- 9) Type **T** to load TRAX.
- 10) **3800 < 800.2AFFM**
- 11) **6700 < 8700.93FFM (for TRAX only)**

12) Place the blank disk into the drive and boot it with **C600G**.

13) **BSAVE TRAX,AS3800,LS2300**

14) **BSAVE TRAX.SUP,AS6700,LSD00** (TRAX and INIT only)

INIT

The same format can be used for INIT, ZAP, and FIXCAT with changes in steps 9, 10, 13 and 14. Step 11 is not necessary.

Complete steps 2 through 8 for each of the remaining programs, then follow the special steps listed under the program title.

Complete INIT first:

9) Type **I** to load INIT.

10) **3800 < 800.325EM**

11) **BSAVE INIT,AS3800,LS2B00**

12) Place the blank disk into the drive and boot it with **C600G**.

14) **BSAVE SUPPLEMENT,AS7600,LSA00**

ZAP

The supplement is the same for INIT, ZAP and FIXCAT, so step 14 can be eliminated. For ZAP:

9) Type **Z** to load ZAP.

10) **5000 < 800.4CFFM**

12) Place the blank disk into the drive and boot it with **C600G**.

13) **BSAVE ZAP,AS5000,LS4500**

FIXCAT

9) Type **F** to load FIXCAT.

10) **4800 < 800.1FFFM**

12) Place the blank disk into the drive and boot it with **C600G**.

13) **BSAVE FIXCAT,AS4800,LS1C00**

To get the picture, complete steps 2 through 4. Then boot the backup. When the Applesoft cursor is displayed (I), type in **BSAVE PICTURE,AS2000,LS2000** and return.

For the HELLO program, enter the listing on the opposite page as a normal Applesoft program (type FP first). Now save the program as HELLO.

Getting Into the Program

An alternate copy method would be to boot code trace the DOS. The boot process of Bag of Tricks is relatively simple but tedious, especially since it would have to be done five times (once for each program and once for the picture).

That problem can be bypassed by taking advantage of an oversight by the authors. When reset is pressed, the Apple tries to boot because the power-up byte is not set correctly. This is the byte that tells the Apple when it has been turned on. (See page 37 of the Apple II reference manual). When the power up byte is set improperly, the Apple will try to boot regardless of the address pointed to by the reset vector. When reset is hit from the menu, the Apple acts like it has just been turned on and tries to boot. When reset is pressed the second time, the Apple is put into Applesoft.

Loading the Programs

In the sixth step of the save/load procedure, the three bytes, 4C 59 FF, represent the machine language opcodes, which tell the computer to jump to the routine that causes it to stop and enter the monitor (acting like a stop from Applesoft). Now, after the DOS has loaded any of the programs, control will be given to the user, not to the program.

Saving to Normal Disk

The program is now in memory and the Apple is under control with the modified Bag of Tricks DOS in the machine. Unfortunately, it is far from normal and has no convenient SAVE or BSAVE.

What now? Save it to tape? Perish the thought — a normal DOS can be rebooted.

Since the booting process uses page 8 (\$800-\$8FF) in memory, which is exactly where the program starts, a special routine in the Apple's monitor is used for moving memory out of the way. It simply transfers the part of memory which the program resides in byte by byte from one place in memory to another. By moving the programs higher in memory, they are put in a safe area not used by the boot. That is what steps 9 and 10 are for. Once the program is moved, the backup disk can be safely booted.

Backup Files

There should be eight files on the backup now: TRAX, TRAX.SUP, INIT, SUPPLEMENT, ZAP, FIXCAT, PICTURE and HELLO. The HELLO program is simply a menu that allows the backup to imitate the original disk. The picture is the same as the one on the original disk.

The other six files make up the four major Bag of Tricks programs (the other files are routines). Each program is in two parts, a main section and a supplement, but the supplements for INIT, ZAP and FIXCAT are the same. To run any of these programs, the accompanying supplement must also be loaded. To use TRAX, TRAX.SUP must be loaded first. For the other three programs, SUPPLEMENT must be loaded first.

How to Run the Programs

Because the programs were moved before they were saved, they will be loaded into the wrong spot if just BRUN or BLOADed. To make sure everything is in the right place, DOS has to be told where to place the program. For example, to run TRAX, first load in the supplement with BLOAD TRAX.SUP,A\$8700. This loads the supplement into the correct place in memory. Then the TRAX program can be run with BRUN TRAX,A\$800.

Similarly, the supplement for INIT, ZAP and FIXCAT would be BLOAD SUPPLEMENT,A\$7600. To run the program: BRUN INIT,A\$800 (ZAP or FIXCAT can be substituted for the title INIT.)

Final Analysis

All four Bag of Tricks programs are extremely useful. ZAP is an excellent disk editor with convenient help pages. It also has definable commands, a nice touch. INIT is the program that you needed to convert all your disks to DOS 3.3. It allows reinitialization without loss of data. FIXCAT is great for doing all of those tedious chores related to recovering crashed disks.

There is only doubt about TRAX. Its sole use seems to be looking at the protection schemes on disks (it gives a great output for users of IOB). However, TRAX will not analyze the Bag of Tricks disk. If the authors couldn't figure out how to analyze their own protection schemes, TRAX can't be all that good. On the other hand, maybe it was deliberate. Maybe the authors are trying to say, "Break and copy other disks, but not ours!"

Hello Program

```
10 D$=CHR$(13)+CHR$(4)
20 HOME:VTAB 12:HTAB 12:PRINT
   "LOADING MENU ..." :PRINT
   D$"BLOADPICTURE,A$2000"
30 POKE -16302,0:POKE -16300,
   0:POKE -16297,0:
   POKE -16304,0
40 GET A$
50 IF A$="T" THEN TEXT:HOME:
   VTAB 12:HTAB 12 :PRINT
   "LOADING TRAX ...":PRINT
   D$"BLOAD TRAX.SUP,A$8700"
   :PRINT"BRUN TRAX,A$800"
60 IF A$<>"I" AND A$<>"Z" AND
   Z$<>"F" THEN 40
70 IF A$="I" THEN A$="INIT"
80 IF A$="Z" THEN A$="ZAP"
90 IF A$="F" THEN A$="FIXCAT"
100 HOME:TEXT:VTAB 12:
   HTAB 11:PRINT"RUNNING "A$;
   " . . ."
110 PRINT D$"BLOAD SUPPLEMENT,
   A$7600"
120 PRINT D$"BRUN "A$",A$800"
```

HIDDEN LOCATIONS REVEALED

This article is intended for advanced users who are familiar with the internal hardware of the Apple. SoftKey Publishing is not responsible for any damage done to the computer while following the outlined procedure.

Requirements:

Apple II or II+ only (will not work with the IIe or Apple-compatibles)

Disk Organizer II by Sensible Software

Some small-gauge insulated wire; i.e. No. 24

16-pin DIP socket

We've been taking for granted that it's possible to break into any program by just switching to the old monitor F8 ROM and hitting reset (see Issue 1 of *HARDCORE COMPUTING*, old series). Unfortunately, with *Disk Organizer II* this causes a carriage return and, subsequently, the text page to scroll; thus losing any information placed on the first line of text page 1. This information is vital when trying to perform a softkey.

To solve the scrolling problem, I discovered a before-inaccessible set of locations for the first line on the text page. My technique involves gaining control over the screen soft switches to cause the display of text page 1, preventing it from scrolling and allowing recovery of the needed information from the first line. I'm sure this technique is used by many other programs, so read on even if you don't own *Disk Organizer II*.

Hidden Addresses

My clue to the use of this kind of protection came when I noticed some indirect references in the assembly code to locations \$400-426.

Examine the *partial machine language listing*. The makers of *Disk Organizer II* tried to conceal the highlighted jump addresses by storing them in the plowable first line of the

by Enrique Gamez

text page. These are the crucial entry points to the routines which are designed to perform the delete, rename, exhume, move, purge and change boot tasks labeled in the partial machine code listing.

What you'll attempt to do in following this procedure is force the Apple to display the text page, no matter what the program in memory would like to do. Perhaps you'll learn a little about soft switches on the way — and, most importantly, how to gain control over them.

Technical Background

Having a memory-mapped screen is very convenient; writing to any

position on any screen is as simple as POKEing a value or LDAing a specific byte. However, not so convenient is the experience of having some locations self-modify as you're trying to read them. Have you ever done a hex dump of the \$400 to \$7FF area while viewing the text page? Total nonsense.

The screen soft switches are what allow you a "window" into the Apple. By flipping a switch here and there you can literally browse through memory (without changing anything there).

Screen Switching Demo

Type in the "Screen Switching Demo" and watch what happens. If you goof up, just turn off the computer, reboot, and start over. In the course of this little demo you might

Partial Machine Code Listing

```
1281: 20 72 19 JSR $1972 ; KEY INPUT ROUTINE
1284: C9 D1 CMP #$D1 ; "Q" QUIT COMMAND?
1286: D0 05 BNE $128D ; NO
. . . . .
. . . . .
. . . . .
12B1: C9 C4 CMP #$C4 ; "D" DELETE COMMAND?
12B3: D0 03 BNE $12B8 ; NO
12B5: 6C 0E 04 JMP ($040E) ; YES, actually $1702
12B8: C9 D2 CMP #$D2 ; "R" RENAME COMMAND?
12BA: D0 03 BNE $12BF ; NO
12BC: 6C 20 04 JMP ($0420) ; YES, actually $1E5C
12BF: C9 C5 CMP #$C5 ; "E" EXHUME COMMAND?
12C1: D0 06 BNE $12C9 ; NO
12C3: 8E 0C 02 STX $020C ;
12C6: 6C 10 04 JMP ($0410) ; YES, actually $1852
12C9: C9 CD CMP #$CD ; "M" MOVE COMMAND?
12CB: D0 03 BNE $12D0 ; NO
12CD: 6C 1C 04 JMP ($041C) ; YES, actually $1AA2
12D0: C9 D0 CMP #$D0 ; "F" PURGE COMMAND?
12D2: D0 06 BNE $12DA ; NO
12D4: 8E 0C 02 STX $020C ;
12D7: 6C 1E 04 JMP ($041E) ; YES, actually $1A1E
12DA: C9 C2 CMP #$C2 ; "B" CHANGE BOOT?
```



lose sight of what you're typing. Have faith and keep going — you'll just need to be a more careful typist.

What controls and decodes these little switches you've just been throwing is the IC F14 chip (labeled SN74259N). Each switch controls a different aspect of what is placed on the screen. That's why a certain byte can show up as a flashing character if in the text mode, as colored blocks if the lo-res graphics switch has been thrown, or even as a series of dots if \$C057 is accessed.

Figure 1 is a diagram of the chip in question.

The integrated circuit (IC) gets its power through the two pins not shown; 8 and 16. By convention, in a

Figure 1



SN74259-F14

16-pin package the +5V, or Vcc, connection goes to pin 16 ("HI"). Pin 8 is 0V, or ground ("LO"). Notice the half-moon notch in Figure 2; it should point toward the keyboard.

One nice thing about working with logic circuits at such low voltages (0-5 volts) is that you can force certain lines low or high without any damage to the ICs, if you're careful.

IMPORTANT: Don't connect pin 8 to pin 16. This will short out the power supply.

As you may have noticed from following the screen-switching demo, you need to throw two or three switches to get to a certain point. With the chip disconnected, there's no circuitry to hold the switches "in position," so to speak, so you'll have to physically wire some pins HI and some LO. Needless to say, it could get rather hairy.

Because of this, I've figured out the correct combination for this application and soldered a jumper-socket that I can quickly plug in to check if a

Screen Switching Demo

Type:	Explanation of Mode	View Window
CALL -151	GO INTO MONITOR	\$400-7FF
C054:0	SET TO PAGE 1. NOTHING HAPPENS.	
C053:0	SET TO MIXED SCREEN. NOTHING HAPPENS.	
C051:0	SET BACK TO TEXT.	
C050:0	LO-RES GRAPHICS, MIXED.	
C052:0	FULL SCREEN GRAPHICS.	
C051:0	BACK TO TEXT.	
C055:0	TEXT PAGE 2. WHAT A MESS!	\$800-BFF
C050:0	LO-RES GRAPHICS, PAGE 2.	
C053:0	MIXED WITH TEXT, PAGE 2.	
C052:0	FULL SCREEN AGAIN.	
C057:0	HI-RES, PAGE 2.	\$2000-3FFF
C054:0	HI-RES, PAGE 1.	\$4000-5FFF
C053:0	MIXED, PAGE 1.	part of \$2000-3FFF and \$400-7FF
C055:0	MIXED, PAGE 2.	part of \$4000-5FFF and \$800-BFF

BEEP! LOST YOUR PROGRAM?

BUS RIDER LOGIC ANALYZER FOR THE APPLE II

The Bus Rider is a self diagnostic development tool that allows real time analysis of software and hardware in the Apple II computer.

The Bus Rider provides:

- Monitors and saves 512 cycles of the address and data bus, NMI, IRQ, DMA, R/W and 4 external lines.
- Pretrigger viewing of up to 512 samples.
- 4 external inputs with variable threshold reference.
- Display cycle by cycle execution or 6502 disassembled code.

The Bus Rider comes complete with Bus Rider circuit card, reference manual, Bus Rider software diskette, and 10 easy hook external input cable. The total system price is **\$395.00**



Bus Rider - Disassembled Display

RC Electronics Inc.
5386 Hollister Avenue, #D
Santa Barbara, CA 93111
(805) 964-6708 TELEX 295281




particular program tries to use this protection technique. *Disk Organizer II* does.

Controlling the Soft Switches

- 1) Turn off the computer.
- 2) Carefully remove IC F14.

Figure 2



Remember, without this decoder chip any page flipping signals sent by the program (or ROM) to pins 1, 2, and 3 have no physical connection with the output pins 4-7 and 9-12. You are therefore free to throw your own.

3) You may now turn on the computer and carefully experiment with pins 4-7 and 9-12, connecting some HI (to pin 16) or LO (to pin 8). Watch the results on your screen. When you want to continue, plug in an IC socket that has been wired as shown in Figure 3. Be sure it is oriented via the tab cutout toward the keyboard.

4) Once installed, boot the program in the usual way. Now convert the various screen characters back into hex code using a chart like the one in *HARDCORE COMPUTING* Update 2.1 (old series) or most Apple manuals.

These jumpers will show you the hidden information you've been missing.




Figure 3

Epilogue

Just when you think you've got it beat you always bump into another scheme, and this one has me stumped. *Disk Organizer II* has also cleverly hidden an important byte at \$200. This is the first location in the input buffer, which is snuffed as soon as a key is typed. Any ideas?

Bibliography

- Apple Computer, Inc. *Reference Manual*, part #A2L0001A, pp. 12-14, 79, 98-99 and schematic.
- Lancaster, Don, *Enhancing Your Apple II*, Indiana: Howard W. Sams & Co., Inc., 1982, p. 83.
- Luebbert, William F., *What's Where in the Apple*, Massachusetts: MicroInk, Inc., 1981.
- Signetics Corp., *Signetics Logic IC Data Manual*.

This chart gives the results of the author's own experimentation with the graphic switches.

0 Open (no connection)
+HI
-LO

4	5	6	7	9	10	11	12	<Effect>
+	0	-	0	0	0	0	0	Text page 1
+	0	0	0	0	0	0	0	Text page 2
0	-	0	-	0	0	0	0	Lo-res page 1
0	0	0	0	0	0	0	0	Lo-res page 2
0	0	-	-	0	0	0	0	Lo-res page 1, mixed
0	0	0	0	0	0	0	0	Lo-res page 2, mixed
0	-	0	0	0	0	0	0	Hi-res page 1
0	0	0	0	0	0	0	0	Hi-res page 2
0	-	0	0	0	0	0	0	Hi-res page 1, mixed
0	0	-	0	0	0	0	0	Hi-res page 2, mixed
0	0	0	0	0	0	0	0	

More on Multiplan

Apparently, our IOB for *Multiplan* (*HARDCORE COMPUTIST* #2, page 8) did not work on all copies of that Microsoft program. The first byte of the address epilogue varies with each *Multiplan* disk and, as a result, some users were unable to get a clean copy.

Those users may wish to try this alternative controller for the IOB program listed in that issue. Remember to delete lines 1000-1030 in the original IOB listing. By NOPping DOS's check, this controller takes into account various bytes.

```

1000 POKE 47504,234: POKE 47505,
234: POKE 47506,234: POKE
47507,234
1010 FOR TK = 0 TO 34
1020 DV = 1:CD = RD: GOSUB 50: GOSUB
80
1030 IF TK = 0 THEN POKE 10765,
222
1040 DV = 2:CD = WR: GOSUB 50: GOSUB
80
1050 NEXT

```

Multiplan, Microsoft Corporation,
10700 Northup Way,
Bellevue, Washington 98004
\$275.00

WIZARDRY

continued from page 7

—When the speed comes within 0009 (>0009-<0009), use the "<" and ">" keys for fine adjustment.
—Replace the drive cover.

Back to the Original Procedure

8) When the digits indicate >0000, the track has been copied. The user will be prompted to insert the source disk (one drive) or, if two drives are being used, jump to the source drive. Assure that >0000 is printed on screen before reading the next track. Sometimes the program "gets tired" of trying to synchronize the drive speed (some drives only). If >0000 isn't printed, the copy probably didn't work.

9) Finish copying the boot side, then put a write-protect tab on the copied disk.

10) Place the copy in the drive and boot it.

If you see that pretty picture and the menu, congratulations! You're now half done.

If the copy wasn't successful, repeat the ten steps. It works about three times out of five for me. The protection scheme is a tough one.

Copying the Scenario Side

The scenario side of Wizardry can be copied using the same basic procedure that was used for the boot side. Repeat steps 1-10, but leave out step 9 since the program writes to the disk as it goes along.

Don't be discouraged if it doesn't work the first time. This side is even tougher to copy than the boot side. On my attempts, it worked about two out of nine times.

Enjoy the added peace of mind you have with a back-up copy of Wizardry. I only use my back-up; the original sits in a dark, dry place, safe from magnetic fields.



GOT A FUNNY DISK?

... WANT TO KNOW MORE ABOUT IT?

Then you
need the



(Confidential
Information
Advisors)

CAN YOU ...

- * edit normal or protected disks?
- * quickly find and recover any intact file, however badly the disk is corrupted?
- * list programs directly from any disk - protected or not?
- * examine textfiles directly from any disk - protected or not?
- * analyse the formatting of normal or protected disks?
- * decrypt commercial software - or encrypt your own?
- * rapidly auto-search normal or protected disks for anything you like?
- * understand & use the latest copy protection methods?
- * use your Apple as a powerful document retrieval system?
- * make use of an exhaustive knowledge of disk lore?

YOU CAN NOW — with a little help from these 5 sophisticated disk utilities:

TRICKY DICK examines, records, deletes, and edits. It can: (1) read individual sectors from normal and most protected disks, (2) list their contents in BASIC, assembler, ASCII, or hex, (3) edit them; (4) write them back to the disk. Tricky Dick cunningly bypasses most protection systems, allowing you to work on disks with nonstandard formatting, half-tracks, and altered DOS marks. It is also a chief executive program that directs the following undercover agents:

THE LINGUIST reads in a trackful of raw data for your scrutiny, translates all the address information, and allows you to inspect the track's formatting. It also translates all 3 types of DOS encoding (6 & 2, 5 & 3, 4 & 4), and works with Tricky Dick to list and examine programs or textfiles on any protected disk. You can use The Linguist to recover valuable files from blown disks, improve your programming skills by studying commercial software, and analyse standard or altered formatting.

THE TRACER rapidly searches normal and most protected disks for up to six strings of your choice simultaneously (specified in ASCII or hex). The Tracer also verifies disk formatting, and sniffs out all hidden catalog or VTOC sectors. When it finds something, it transfers control to Tricky Dick and puts the cursor over the object of your search. A few further key-strokes allow you to make any necessary changes and write the sector back to the disk.

THE CODE BREAKER keeps your programs and textfiles from prying eyes by enabling you to translate them into a "secret code" during disk storage. This utility also deciphers encrypted commer-

cial programmes, allowing you to use Tricky Dick to read, list, and edit software never before accessible to any disk utility.

THE TRACKER closely shadows the disk drive arm, carefully recording all its movements and operations. The Tracker's job is to display, on either your screen or printer, a list of every track and sector accessed during a LOAD, RUN, SAVE, or any other DOS operation. This utility also tells you exactly where a read or write occurred during any disk access. Use The Tracker's services to locate the precise trouble spots on a clobbered disk, to determine sector skew patterns, to discover the location of hidden "nibble-count" tracks on protected disks, and to learn much more about how DOS works. You'll be surprised to see just exactly where the disk arm really does go!

What's more, you get permanent access to:

THE CIA FILES, a 50,000+ word book designed to turn you into a disk expert. In addition to complete instructions for the 5 CIA utilities, the book contains an easy-to-follow hand-holding tutorial (written in plain English!) on all aspects of the Apple disk. Using the CIA utilities as your personal guides, you progress step-by-step to total disk mastery. You'll acquire a wealth of skills and information relating to disk repair and file recovery, DOS patches, copy protection, disk formatting, program encryption, and other vital topics. Much of the material has never before appeared in print.

All programs are UNPROTECTED, and hence can be copied, listed, and modified at will. (special patches are described in the manual). They require one drive, DOS 3.3, and 48K of RAM.

TO GET THE CIA ON THE TRAIL OF YOUR DISKS, SEND \$65.00 TO:

Golden Delicious Software, Accts. Dept.
350 5th Avenue
Suite 3308
New York, NY 10001

No credit cards accepted.

MORE PARAMETERS



Copy II Plus

Central Point Software
P.O. Box 10730, #203
Portland, Oregon 97219
(503) 244-2782

\$39.95

The new version of *Copy II Plus* is an excellent multi-function disk utility package, as well as a bit copy program. (In a recent review, *Peelings II* gave the package an A+ rating.) In addition, *Copy II Plus* is unique because it is not copy-protected for back-up.


On the following pages, we have printed the bit copy program parameters which were not included in our first list in *HARDCORE COMPUTIST* #1. Most of these parameters were submitted by users to Central Point Software and have not been tested by our staff.

When making any back-up, be sure to follow the steps in order. Often a parameter will not be relisted if it is set for a prior range of tracks.

To back up a commercial program, first find its name in the list of parameters. Directly below the name is a list of the tracks to copy and the parameters to change. If the word

STEP is used, set the increment to the value that follows. Use the default increment of 1 if no other figure is given.

When the word SECTMOD appears, a sector should be changed using the Track Sector-Editor. Be sure to patch the read/write routines if the listing shows PATCHED and to use the correct DOS (3.2 or 3.3). Place the destination disk in drive one, then perform the changes listed.



The command format for this procedure is:

```
SECTMOD [T=n, S=n] DOS 3.n
PATCHED
CHANGE ADDRESS A1 FROM A2
TO A3
```

The meaning of the variables are explained below:

- S Sector to be read.
- T Track to be read.
- A1 Location to be changed in the buffer.
- A2 Old value.
- A3 New value.

Some diskettes can be duplicated using the default parameters (select the Bit Copy option from the main menu). If the diskette you wish to back up is not listed, try the default settings anyway.

HARDCORE COMPUTIST encourages its readers to send any parameters for programs not on this list. For more information on how to use *Copy II Plus*, consult the user manual.

abbreviations of publishers

AC Apple Computer
ADA Scott Adams
AG Avante Garde
AM Anthro-Magical
ART ARTSCI
AUT Automated Simulations
AVH Avalon Hill
BC Budgeco
BS Broderbund Software
CAI Computer Applications
CC Cavalier Computer
CP California Pacific
CPS Central Point Software
CTS Continental Software
DAT Data Transforms
DM Data Most
DY Dynacomp
EIN Einstein Computer

FR Franklin Ace
GB Gebelli
HN Hayden
HOW Howardsoft
IC Infocom
IDSI IDSI
IN Insoft
L10 Level 10, Dakin5
LJK LJK Enterprises
LOG The Logical Choice
LOT Lotus
MF Micro Fun
MIN Mind Systems
MIS Microsoft
ML Micro Lab
MS Mind Systems
MU Muse
MWS Midwest Software
OD Odesta
PEN Penguin Software
PHO Phoenix Software

QS Quality Software
SAM Sams Book & Software
SEN Sensible Software
SL Sub Logic
SIR Sir-Tech
SMI Smith Micro Software
SOF SOF/SYS
SOL Sierra On-Line
SPT Spectrum
SRS Sirius Software
SS Sentient Software
SSI Strategic Simulations
SVS Silicon Valley Software
SW Stoneware
SY Synergistic Software
TSR TSR Games
UNK Unknown
USA USA
VCP Visicorp
VX Videx
XPS XPS, Inc.

Parameters for Copy II Plus

3-D GRAPHICS SYSTEM (CP)

0-8
11-12
15-17

AKALABETH (CP)

0 9=0, 31=0
2-3 E=DE, F=AA, 10=AD
6-18

Alternative Method

0-2
4-8
11-18

ALGEBRA SERIES (EW)

0-22 10=96, 9=0, 24=96, D=1,
31=0

A2-PB1 (PINBALL) (SL)

0 10=96
1-15 A=3, E=DB, F=AB, 10=BF,
44=1, 45=D, 46=F

ALKEMSTONE (L10)

0-22 A=3, 10=96

ACE WRITER (FR)

0-22 10=96

APPLE CILLIN II (XPS)

0-C

AIR SIMULATOR (MS)

0-F

APPLE //e BUSINESS GRAPHICS (AC)

0-22 D=1, 10=96, 24=96

AIR TRAFFIC CONTROLLER (AG)

0-22 10=96
23 31=0, 50=1, 10=96

APPLE /// BUSINESS GRAPHICS (AC)

0-22 (ERROR 2 OKAY)

continued on page 18

**Version
4.0**

The Ultimate **APPLE**® Utility Program **COPY II PLUS**

Now you can back up your protected software. Copy II Plus is the most sophisticated bit copy program available. It handles synchronized tracks, half tracks, nibble counting, bit insertion and other protection schemes. It also includes a comprehensive discussion of disk format and protection techniques, and instructions on how to back-up dozens of popular programs. A disk system and speed check assure your drives are running in top condition and a nibble editor will allow you to repair damaged diskettes, analyze protection schemes, etc.

The last DOS utility disk you will need. Fully menu driven, the Copy II Plus utilities include a catalog display with binary file addresses and lengths, a disk usage map, and the ability to verify and compare files for differences. It can copy, lock, unlock and delete files and DOS can be copied, or removed from a disk to free up space. You can change the greeting program on a DOS disk, or initialize a disk from scratch. The Copy II Plus sector editor will allow you to view and modify data in either hex or ASCII format.

For your convenience, Copy II Plus is not copy protected for backup.
Available at fine computer and software stores or direct from:

CENTRAL POINT
Software, Inc.

P.O. Box 19730-203
Portland, OR 97219
(503) 244-5782

\$39⁹⁵

plus \$2.00 for shipping/handling

Attention current Copy II Plus owners: Return your original disk with \$19.95 for an update to Version 4.0.

Attention IBM PC owners: Call us about backing up your protected software with Copy II PC!



Go Out and

The Softkey Library Disks save you hours of typing when you have better things to do than slave over a hot keyboard. Each disk, containing programs published in recent issues of CORE and HARDCORE COMPUTIST, is available directly from Softkey Publishing for only \$19.95.

(postage and handling complimentary)

Slay Your Dragons

REWARD

WE NEED SOFTKEYS.

Hardcore Computist will pay \$50 to the first person to submit a clearly explained and neatly formatted Softkey for a commercial program. A Softkey shows how to unlock commercial software for modification and improvement, not just how to copy it.

Interested readers should send their Softkeys via certified or registered mail and must enclose the original commercial disk with their article so that the method can be authenticated by our staff. Hardcore Computist guarantees return of the original within six weeks and will not use it to create back-ups for company or personal use.

Softkeys submitted without the original will also be considered for publication and authors will receive \$20 for each published article.

Programmers who submit original modifications to commercial software will receive additional compensation, depending upon the quality and scope of the improvements.

For more information on format and standards, send a stamped, self-addressed envelope for our Writer's Guide to Hardcore Computist, P.O. Box 44549, Tacoma, Washington 98444.

EAMON

Where The Adventures Never End

With SIX new games!

Special Collector's Offer
The entire Eamon Collection,
44 disks, for \$140.

YES, I want them all!

Order single disks at \$4.00 each.
Minimum order: \$12.00

Send me the disks
that I have checked.

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

*Overseas, Canada, and Mexico: add 20% of total for shipping. Any excess will be promptly refunded.

We accept international money orders (in USA dollars) and checks drawn on USA banks.

- | | | |
|---|---|---|
| <input type="checkbox"/> MASTER/Beginner's Cave | <input type="checkbox"/> #16 The Caves of Mondamen | <input type="checkbox"/> #32 The House of Ill Repute |
| <input type="checkbox"/> #2 The Lair of the Minotaur | <input type="checkbox"/> #17 Merlin's Castle | <input type="checkbox"/> #33 The Orb of Polaris |
| <input type="checkbox"/> #3 The Cave of the Mind | <input type="checkbox"/> #18 Hogarth Castle | <input type="checkbox"/> #34 Death's Galaxy |
| <input type="checkbox"/> #4 The Zyphyr River Venture | <input type="checkbox"/> #19 Death Trap | <input type="checkbox"/> #35 Lair of the Mutants |
| <input type="checkbox"/> #5 The Castle of Doom | <input type="checkbox"/> #20 The Black Death | <input type="checkbox"/> #36 The Citadel of Blood |
| <input type="checkbox"/> #6 The Death Star | <input type="checkbox"/> #21 The Quest for Marron | <input type="checkbox"/> #37 The Quest for the Holy Grail |
| <input type="checkbox"/> #7 The Devil's Tomb | <input type="checkbox"/> #22 The Senator's Chambers | |
| <input type="checkbox"/> #8 The Abductor's Quarters | <input type="checkbox"/> #23 The Temple of Nguret | TOURNAMENT ADVENTURES |
| <input type="checkbox"/> #9 Assault on the Clone Master | <input type="checkbox"/> #24 Black Mountain | <input type="checkbox"/> The Castle of Count Fuy |
| <input type="checkbox"/> #10 The Magic Kingdom | <input type="checkbox"/> #25 Nuclear Nightmare | <input type="checkbox"/> The Search for the Key |
| <input type="checkbox"/> #11 The Tomb of Molinar | <input type="checkbox"/> #26 Assault on the Mole Man | <input type="checkbox"/> The Rescue Mission |
| <input type="checkbox"/> #12 The Quest for Trezore | <input type="checkbox"/> #27 Revenge of the Mole Man | EAMON UTILITIES |
| <input type="checkbox"/> #13 The Caves of Treasure Island | <input type="checkbox"/> #28 The Tower of London | <input type="checkbox"/> Dungeon Designer 5.0 |
| <input type="checkbox"/> #14 Furioso | <input type="checkbox"/> #29 The Lost Island of Apple | <input type="checkbox"/> Utility #1 |
| <input type="checkbox"/> #15 The Heroes' Castle | <input type="checkbox"/> #30 The Underground City | <input type="checkbox"/> Utility #2 <input type="checkbox"/> Utility #3 |
| | <input type="checkbox"/> #31 The Gauntlet | |

Remember: To play any of the Eamon Games, you must order the MASTER disk unless you have it already.

Make checks payable to:
Computer Learning Center
P.O. Box 45202
Tacoma, Washington 98444

Washington residents add 7.8% sales tax.
No purchase orders.
No C.O.D.



continued from page 15

APPLE LOGO (AC)

0-22
1, A=1, 4B=1, 50=1, E=FC,
19=FD, 1C=AA, 1F=EE

Alternative Method

0-22
1 A=1, 4B=1, 50=1, E=AA,
1C=AA

Alternative Method

0-22
1 A=1, 4B=1, 50=1, 3B=1,
4D=8

NOTE: We have been told that Apple Logo
requires persistence! Keep trying
track 1 until the disk works.

APPLE PANIC (BS)

0-D

Alternative Method

0-5 9=0, F=0
6-D E=DE

APPLE PILOT (AC)

0-22

Alternative Method

0-22 10=96, 24=96, D=1

APPLE WORLD (USA)

0-23

APPLEWRITER II AND //e (AC)

0-22 10=96

APPLEWRITER II PRE-BOOT (VX)

0-22 10=96, 9=0

APVENTURE TO ATLANTIS (SY)

0-22 10=96, 24=96, 9=0, 31=0,
D=1

AUTOBAHN (SRS)

0
4-6 D=1
9.5-C.5

AUTOMATED ACCOUNTING FOR
MICROCOMPUTERS (UNK)

0-22 10=96

B

BACK-IT-UP II (SEN)

0 10=96, 9=0
1.5-B.5 ... 10=B5, A=3

BACK-IT-UP II+ 2.3 (SEN)

0-D 10=96, 9=0 (ERROR on T1
okay)

Note: Sensitive to drive speed.

BANDITS (SRS)

0
1.5-1A.5
1C.5-1F.5 D=1

BATTLE OF SHILOH (SSI)

0-22 E=D4, 10=B7

BILL BUDGE'S TRILOGY OF GAMES

0-A

BIRTH OF THE PHOENIX (PHO)

0-9

BOMB ALLEY (UNK)

0-22 E=D4, 10=B7, 34=1, 37=6E,
38=FE

BORG (SRS)

0 10=96, 9=0
1.5-B.5 ... D=1, 24=96, A=3, E=DD,
F=AD, 10=DA, 3B=40
D-20

BRIDGEMASTER (DY)

0-22

C

CASTLE OF DARKNESS (LOG)

0 D=1, 24=96, 10=96, 9=0
1-22 E=AB, F=AB

CASTLE WOLFENSTEIN (MU)

0-22 D=1, 31=0

CAVES OF OLYMPUS (SAM)

0-22 10=96, 9=0

CHESS 7.0 (OD)

0-22 10=96, 9=0

Alternative Method

0-22 10=96, 9=0, 8=1, 3E=2

CONGO (SS)
0-22 D=1, 9=0, 24=96, 10=96

COPTS AND ROBBERS (SRS)
0 10=96, 9=0
1.5-F.5 ... D=1, 24=96, A=3, E=DD,
F=AD, 10=DA, 3B=40

COPY II PLUS (CPS)
see manual pages 2-4, 2-6

CRIME WAVE (PEN)
0-10 step 2 E=D5, F=AA, 10=96,
9=00, 6=04, 31=00
1-11 step 2 E=D4, F=AA, 10=96,
9=00, 6=04, 31=00

CRUSH, CRUMBLE, AND CHOMP (AUT)
0-22 10=96, 9=0

Alternative Method
0-22 10=96

D
DARK CRYSTAL (SOL)
Use Copy Disk from main menu for all
four disks.

SECTMOD DISK 1A:
[T=5, S=F; CHANGE ADDRESSES A8-AA
ALL TO EA]
[T=7, S=C; CHANGE ADDRESSES 22-24
ALL TO EA]

DAWN PATROL (TSR)
0-22 9=0, 10=96

DEADLINE (IC)
0-22 10=96, 1E=BC

DLM SOFTWARE
0-22

DRAGON FIRE (L10)
0-22

DUNG BEETLES (UNK)
0
1 A=3, E=F5, F=F6, 10=F7
4-22
SECTMOD [T=0, S=1] DOS 3.2
CHANGE ADDRESSES:
6D FROM 01 TO 7B
6E FROM 61 TO 69

DUNGEON (TSR)
0-22 10=96, 9=0

E

EARLY GAMES
Use Copy Disk from main menu.

EDUCATIONAL ACTIVITIES SOFTWARE
0-22

Get Softkey's
3-in-1 disk!

WHO
LIKES
TYPING?

When you buy a Softkey Library Disk,
you get programs from three
magazines:

CORE [Utilities issue]
HARDCORE COMPUTIST #3
HARDCORE COMPUTIST #4

Please allow 4-6 weeks for delivery.

Library Disk #2..... \$19.95 _____

CORE Utilities issue:

Hi-Res Utilities Line Find
GOTO Label Dynamic Menu
GOTO Replace Fast Copy

Hardcore Computist #3:

Map Maker

Hardcore Computist #4:

Ultima II Character Generator

DISK CONTROL \$18.00 _____

DiskEdit Menu
DiskView I.O.B.
SpeedDOS

Wash. state residents
add 7.8% sales tax.

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

Sorry,
no credit cards.
no phone orders.
no purchase orders.
U. S. funds only.

Send check or money order to:
HARDCORE PROGRAM LIBRARY
P.O. Box 44549
Tacoma, WA 98444

HURRY!!!

Current **HARDCORE/CORE** readers still can renew your subscriptions at the old, low rates:

1 year \$20
2 years \$36
3 years \$56


TIME IS RUNNING

You have until October 31, midnight to renew at the old rates, which will then be transformed to, not a pumpkin, but:

1 year \$25
2 years \$46
3 years \$69

The above rates are for our readers in the U.S. Foreign subscription prices will also rise accordingly.

Z-80 PLUS!



- Totally compatible with all CP/M software, there are no exceptions!
- Fully compatible with Microsoft disks, most other Z-80 cards are not.
- Does everything the other Z-80 cards do plus supports Z-80 interrupts.
- Runs on any Apple IIe, II or II+ with at least 48K memory, works with any 80 column card but does not require one.
- A special "CP/M Detector" ROM eliminates many I.C.'s for the lowest power consuming Z-80 card available. (We use the Z-80A at a fast 3.58 MHZ).
- The Z-80 Plus runs: dBase II, WordStar, Spell Star, Fortran-80, Peachtree and all CP/M based software.
- Complete documentation included .
- High quality P.C. board, gold plated connector, all I.C.'s in high quality sockets, with mil. spec. components used throughout.
- Two year warranty.

Price \$139.00

Add \$10.00 If Outside U.S.A.

Send Check or Money Order to:
APPLIED ENGINEERING
P.O. Box 470301, Dallas, TX 75247
All Orders Shipped Same Day

To Order By Phone Call (214) 492-2027
7am to 11pm 7 days a week
MasterCard & Visa Welcome
Texas Residents Add 5% Sales Tax

EINSTEIN COMPILER (EIN)

Use Copy Disk from main menu.

SECTMOD [T=8, S=4]

CHANGE ADDRESSES:

2A FROM BD TO 4C
2B FROM 8C TO E2
2C FROM C0 TO 91

ELECTRIC DUET (IN)

Use Copy Disk from main menu.

ELIMINATOR (ADA)

0-21

SECTMOD [T=3, S=0D] DOS 3.3 PATCHED

CHANGE ADDRESSES:

2E FROM 20 TO EA
2F FROM 30 TO EA
30 FROM 72 TO EA

ESCAPE FROM RUNGISTAN (SRS)

0-2 10=96

3-22 10=F7

EXECUTIVE BRIEFING SYSTEM (LOT)

0-22 9=0

SECTMOD [T=21, S=0] DOS 3.3

CHANGE ADDRESS 27 FROM FB TO 22

EXECUTIVE SECRETARY (SOF)

0-22 9=0, 8=1, 10=96

E-Z DRAW 3.3 (SRS)

0-22 9=0, E=D7, 10=96, 8=1,
A=2, 4=F3, 3A=3, D=1,
24=96, 31=0

F

FASTGAMMON (QS)

0-22

FIREBIRD (GB)

0-0D 10=96, 9=0

1.5-B.5 ... D=1, 24=96, A=3, E=DD,
F=AD, 10=DA, 3B=40

FIRST CLASS MAIL (CTS)

0-22

FORMAT II (Version 7) (KN)

0-22 10=96

SECTMOD [T=B, S=5] DOS 3.3

CHANGE ADDRESSES:

04 FROM A9 TO 4C
05 FROM 03 TO 31
06 FROM BD TO 68

G

GALACTIC ATTACK (SIR)

0-22 10=96, 24=96, D=1

GALACTIC GLADIATORS (SSI)

0-20 10=B7, E=D7, 9=0, 31=0
21-22 34=1

GAME SHOW (CAI)

0-22 9=0

GENERAL MANAGER (SOL)

Use Copy Disk from main menu for working program and sample files.

Master program:

0-22 9=0

Alternative Method

0-22 10=96

SECTMOD [T=1F, S=0E] DOS 3.3

CHANGE ADDRESSES:

C1 TO 4B

C2 TO E0

C3 TO 49

SECTMOD [T=21, S=01] DOS 3.3

CHANGE ADDRESS 2E TO 60

GOBBLER (SOL)

0-22 9=0

3 3B=1, A=1, 4B=1, 4D=8,
50=1 (ERROR 6 OKAY)

GRAPHTRIX (DAT)

0-22

GRAPHICS PROCESSING (SW)

Main Disk:

0-22 19=DD, 1A=AA

Utilities disk is not protected.

H-I

HADRON (SRS)

0 10=96, 9=0

1.5-E.5 ... D=1, 24=96, A=3, E=DD,
F=AD, 10=DA, 3B=40

HELLFIRE WARRIOR (AUT)

0-22

HI-RES COMPUTER GOLF (AG)

0-22 (both sides)

Alternative Method

0-22 19=DF, D=1, 34=1

HI-RES FOOTBALL (SOL)

0-22

HI-RES SECRETS (AG)

0-22 10=96, 4=FB, 19=DF, 1F=DF,
A=1

HOME ACCOUNTANT (CTS)

0-22 9=0, 10=96

HOME ACCOUNTANT 2.0 (CTS)

0-22

HOME ACCOUNTANT 2.01 (CTS)

Use Copy Disk

HOME MONEY MINDER (CTS)

0-22 10=96, 9=0

INCREDIBLE JACK (UNK)

0-22

Write protect copy before using.

INTERACTIVE FICTION (ADA)

0-22

INVASION ORION (AUT)

0-22

INVOICE FACTORY (ML)

0-22

J-K

JIGSAW (ML)

0

1-17 D=1, 24=96, E=D3, F=96,
10=F2, 9=0, 31=0

KABUL SPY (SRS)

Side One:

0

1-21 10=F7

22 A=5, E=AA, F=D5, 10=D5,
11=BD, 12=BD

SECTMOD [T=0, S=0] DOS 3.3 PATCHED

CHANGE ADDRESSES:

49 FROM 20 TO EA

4A FROM 03 TO EA

4B FROM 20 TO EA

Side Two:

0-21 10=F7

KNIGHTS OF DIAMONDS (SIR)

(both sides)

0-22 10=96, 24=96, D=1

Write protect disk before using.

KRELL LOGO (new) (KL)

0-22 10=96
SECTMOD [T=2, S=3]
CHANGE ADDRESSES:
5B FROM D0 TO EA
5C FROM 03 TO EA

L

LETTER PERFECT (LJK)

0-22 10=96, 9=0

LIST HANDLER AND UTILITY (SVS)
(older version)

1-11
0 9=0, A=3, 44=1, 45=D, 50=3
12-22.5 step .5 D=1, E=F5, F=D7,
10=F7, 45=8, 46=D,
51=1

See note for Seafox.

M

MAGICALC (ART)

0-22 9=0

MAGIC MAILER (UNK)

0-22

MAGIC WINDOW I & II (ART)

0-22

MARAUDER (SOL)

0-22 10=96, 9=0
SECTMOD [T=3, S=7] DOS 3.3
CHANGE ADDRESS 90 FROM A8 TO 60

MARS CARS (DM)

0-22 10=96

MASTER TYPE (old) (LNS)

0-2
3-22 E=D4 (ERROR on track 1B
okay)
SECTMOD [T=0, S=3] DOS 3.2 PATCHED
CHANGE ADDRESS 63 FROM 38 TO 18
SECTMOD [T=2, S=A] DOS 3.2 PATCHED
CHANGE ADDRESS 2E FROM 23 TO 2E

MATH STRATEGY (AC)

0-22 10=96, 24=96, D=1

MECC (Vol. 1 & 2)

0-22
2 10=96, 9=0

MICROSOFT ADVENTURE (MIS)

0-22

MICRO WAVE (CC)

0-22
11 3B=1, A=1, 4B=1, 4D=8,
50=1

Alternative Method

0-22 10=96
SECTMOD [T=2, S=1] DOS 3.3
CHANGE ADDRESSES:
DA FROM A9 TO AD
DB FROM 60 TO 03
DC FROM 8D TO 81
DD FROM 7E TO 60

MILLIKEN SERIES (ML)

0-22

MINER 2049ER (MF)

0 4B=1, 10=96
1-22 4B=0, E=D3, F=96, 10=F2,
A=3, 9=0, 31=0, 8=1, D=1,
24=96, 6=6

MISSILE DEFENSE (SOL)

0-22 D=1

MISSING RING (UNK)

0-22 D=1, 24=96, 10=96, 34=1
Do not write protect!

MISSION: ASTEROID (SOL)

0-22

MIX AND MATCH (UNK)

Use Copy Disk from main menu.

Alternative Method

0-22 9=0, 10=96

MULTI-DISK CATALOG (SEN)

0-8
3 A=1, E=AF, 3B=1, 4B=1,
4D=8, 50=1

N-O

NIBBLES AWAY I (CAI)

0-22

NIGHTMARE ALLEY (SY)

0-22 10=96, 9=0, 34=1, 31=0

OLYMPIC DECATHLON (MIS)

0-22 9=0

OO-TOPOS (SS)

0-22

OPERATION APOCALYPSE (SSI)
0-22 E=DB, F=D5, 10=DE, 8=1

ORBITRON (SRS)
0-1 9=0, 31=0
1.5-F.5
(Write protect copy!)

OUTPOST (SRS)
0 10=96
1.5-B.5 ... D=1, 24=96, A=3, E=DD,
F=AD, 10=DA, 3B=40

P

PEEPING TOM (ML)
0
1 E=F5, F=AB, 10=BE, 9=0
4-22
SECTMOD [T=0, S=1] DOS 3.2
CHANGE ADDRESS 6E FROM 60 TO 68

PEGASUS II (SOL)
0-22
3 3B=1, A=1, 4B=1, 4D=8,
50=1 (ERROR 6 OKAY)

PERSONAL FINANCE MANAGER (AC)
0-22 10=96

PIK (APPLE /// BOOT PROGRAM) (UNK)
Use Copy Disk from main menu.

PINBALL CONSTRUCTION (BC)
0-22 (or use Copy Disk)

POOL 1.5 (IDSI)
0-15
1E-21
SECTMOD [T=0B, S=7] DOS 3.2 PATCHED
CHANGE ADDRESS 6A FROM 8D TO 60
SECTMOD [T=0, S=3] DOS 3.2 PATCHED
CHANGE ADDRESS 63 FROM 38 TO 18

PRISONER I & II (EW)
0-22 10=96
SECTMOD [T=1F, S=OE] DOS 3.3
CHANGE ADDRESSES:
D5 FROM AD TO 2F
D6 FROM 99 TO AF
D7 FROM F0 TO 32

R

RENDEZVOUS (EW)
0-23 10=96, 9=0

Alternative Method
0-22 10=96, 24=96, D=1, 9=0
31=0

ROACH HOTEL (ML)
0
1 A=3, E=EE, F=EA, 10=FE
4-22
SECTMOD [T=0, S=1] DOS 3.2 PATCHED
CHANGE ADDRESSES:
75 FROM 01 TO 7B
76 FROM 61 TO 69

ROBOT WARS (MU)
0-22 D=1, 31=0

S

SARGON (HN)
0-1A 10=F7

ADVANCED PLAYING TECHNIQUES

Choplifter, Broderbund
Software, 1938 Fourth Street,
San Rafael, California 94901,
(415) 456-6424.

Choplifter

Sean Williams of Austin, Texas passes on this truly malicious *Choplifter* A.P.T., which might be subtitled "Turning Your Friends into Enemies."

Using *ctrl A* and *ctrl V*, it is possible to reverse the joystick controls, causing the helicopter to fly in the opposite of the chosen direction. The best time to use this technique would seem to be after your turn and before your opponent's.

Sean relates, "You should see friends' faces when they pull up on the stick and crash into the ground."

SCREENWRITER II (SOL)

Use Copy Disk from main menu.

SECTMOD [T=3, S=B] DOS 3.3

CHANGE ADDRESSES:

94 FROM 20 TO EA

95 FROM 00 TO EA

96 FROM 7F TO EA

SECTMOD [T=13, S=4] DOS 3.3

CHANGE ADDRESSES:

4D FROM 20 TO EA

4E FROM 00 TO EA

4F FROM 60 TO EA

SEAFOX (BS)

0 A=3, 44=1, 45=D, 9=0, 0=F,
50=3

1-8 4=FD, 31=0, 43=0, 45=10,
4F=1, 46=12

9 45=8, 46=D

A-B 45=2

C-1E.5 step .5 45=8, 10=D4, 51=1,
D=1

20 45=6, D=0, 4F=0

NOTE: Seafox and Spider Raid use track arcing and are very sensitive to drive speed. If you have problems, try reversing drives.

SENSIBLE SPELLER (older version) (SEN)

0-10 10=96, 9=0

SNACK ATTACK (old version) (DM)

0-12

SECTMOD [T=0, S=3] DOS 3.2 PATCHED

CHANGE ADDRESS 63 FROM 38 TO 18

SNACK ATTACK (DM)

0-12

SECTMOD [T=1, S=3] DOS 3.2 PATCHED

CHANGE ADDRESS 39 FROM 38 TO 18

SNOGGLE (BS)

0-9 9=0, 8=1

SPACE INVADERS (UNK)

0-22 10=96

SPACE VIKINGS (SL)

0-22

Alternative Method

0-22 10=96, 21=DA, 8=1, A=3

SPECTRE (DM)

0-2 10=96, 9=0, 8=1

3-22 31=0, E=C5, 10=B5

SPEED READING (UNK)

0-22 9=0, 10=96

SPELLING STRATEGY (AC)

0-22 10=96, 24=96, D=1

SPIDER RAID (IN)

0

1-17 A=3, E=92, F=93, 4F=1,
10=95, 44=1, 46=A, 9=0,

8=1, D=1, 24=96, 3F=1,

34=1, 36=2A, 37=97, 31=0,

43=0

1.5-17.5 .. E=95, 10=92

Works only for new versions.

See note for Seafox.

SPITFIRE SIMULATOR (MIN)

0-F

15

SPY'S DEMISE (PEN)

1-11 step 2 9=0, 10=96, E=D4

0-12 step 2 6=4, 31=0 (ERROR 2 on
track 12 okay)

STARCROSS (IC)

0-22 10=96

STARSHIP COMMANDER (UNK)

0-22 D=1, 10=96, 24=96

STELLAR INVADERS (AC)

0-22

STERLING SWIFT PRODUCTS

0-22

STOCK PORTFOLIO SYSTEM (SMI)

3-22

0-2 4=FD, 8=1, 10=AD

SUPER PILOT (AC)

0 10=96

2-22

SECTMOD [T=0, S=A] DOS 3.3 PATCHED

CHANGE ADDRESSES:

79 FROM 43 TO EA

7A FROM 41 TO EA

7B FROM C6 TO EA

SUPER TEXT 40/80 (MU)

0-22 9=0

SUSPEND (UNK)

0-22 10=96, 1E=BC

SWASHBUCKLER (DM)
0-22
SECTMOD [T=0, S=3] DOS 3.3 PATCHED
CHANGE ADDRESS 42 FROM 38 TO 18

T

TAWALA'S LAST REDOUBT (BS)
0-22 D=1

TAX MAN
0-22

TAX MANAGER (ML)
Use Copy Disk from main menu

TAX PREPARER (HOW)
Use Copy Disk from main menu

TEMPLE OF APSHAI (AVT)
0-22 A=3, 10=96

THUNDERBOMBS (PEN)
0-12 step 2 E=D5, F=AA, 10=96,
9=00, 6=04, 31=00
1-11 step 2 E=D4, F=AA, 10=96,
9=00, 6=04, 31=00

TORPEDO FIRE (STS)
See three alternatives for Warp Factor

Alternative Method
0-22 E=D4, 10=B7, 34=1

TRANSYLVANIA (PEN)
0-22 E=0, 10=96

Alternative Method
0-22 step 2 10=96
1-21 step 2 E=D4

U-V

ULTIMA II (SOL)
Use Copy Disk, then
SECTMOD [T=3, S=0C]
CHANGE ADDRESSES 84, 85, 86 ALL TO EA.

Alternative Method
0-22 10=96, 9=0, 34=1, 31=0

ULYSSES & GOLDEN FLEECE (SOL)
0-22 9=0
3 3B=1, 0A=1, 4B=1, 4D=8,
50=1 (ERROR 6 OKAY)

Alternative Method
Use Copy Disk from main menu
3 3B=1, 0A=1, 4B=1, 4D=8,
50=1 (ERROR 6 OKAY)

V.C. (AVH)
0-22

VISICALC FOR THE APPLE ///
(Advanced) (VCP)
0-22 10=96, 24=96, D=1

VISISCHEDULE /// (VCP)
Copy disk from main menu.

W

WARP FACTOR (STS)
0-22

Alternative Method
0-22 E=DB, F=D5, 10=DE

Alternative Method
0
1-22 E=DB, F=D5, 10=DE, 8=1

WINDFALL (UNK)
0-22 10=96

continued on page 32

Adventure Tips

Cranston Manor:

The cat's eyes are a treasure. In order to retrieve them you will need the screwdriver from the shed and the inflatable raft from the children's playroom on the second floor.

"INFLATE RAFT," "GO NORTH," and "PRY EYES" to retrieve the treasure.

Cranston Manor
Sierra On-Line, Inc.
26575 Mudge Ranch Road
Coarsegold, California 93614
(209) 683-6858

*Thomas Kelly II
Titusville, NJ*


Strange Odyssey:

When you find the derelict spaceship, DO NOT connect the hose to the space suit and then push the black button on the machine.



*Glenn Cummings
Detroit, MI*

Strange Odyssey
Adventure International
Box 3435
Longwood, Florida 32750
(305) 830-8194



MAP MAKER

A feature to create terrain
for hi-res adventure games

by Robb Canfield

Requirements:

Apple II, 48K
Disk drive
Quick Draw (from CORE Graphics issue; only needed to modify or add to the map's character set)

Usually the hardest part of composing one's own fantasy game is writing a routine to draw the actual terrain. To aid the future software author or game hobbyist, we present *Map Maker*, a program that displays a terrain and allows the user to draw a "map" of his own.

Map Maker uses a display similar to the one used by several commercial games (the *Ultima* series is an example). The screen depicts a character surrounded by a landscape, which the user fills with mountains, towns, and lakes. When "moved," the character remains in the center of the screen, and the landscape changes around it.

Entering the Program into Memory

To start, boot the 3.3 master disk and clear the program from memory (FP).

1) Enter and save the BASIC program, "Editor" (DO NOT run this program yet).

SAVE EDITOR

2) Clear memory (FP) and enter the listing for "Make Tables." (Note: this program differs significantly from the "Make Tables" program in the Graphics issue of CORE.)

First save, then run the program.

SAVE MAKE TABLES

RUN MAKE TABLES

The program will relocate itself and then will create and save "Tables."

3) Clear memory again (FP) and enter the monitor (CALL-151). Now enter and save the hex dump for "Display Map."

BSAVE DISPLAY MAP,A\$803,L\$C7

4) Enter and save the hex dump for Clear.Obj.

BSAVE CLEAR.OBJ,A\$300,L\$1E

5) Enter "Editor.C," page 30 and save it, allowing enough memory so that the "QD.Editor" (presented in the Graphics issue of CORE) will still read and write to it without increasing the size of the character set.

BSAVE EDITOR.C,A\$E00,L\$200

To use the program, RUN EDITOR.

Using Map Maker

Map Maker reloads itself above page 2 of hi-res and loads all the needed files. You must then answer YES when the program asks if you wish to erase the screen. (This feature erases all the garbage which would be on the hi-res screen; it also allows the user to leave the map in memory if he accidentally exits from the program.)

Once in memory the hi-res screen should be displayed. To move the character, use any of the motion commands on page 27. To draw a map, first press one of the terrain keys (P,M,W,T), then move the character over the blocks of the map on which you wish to draw that terrain.

How Map Maker Creates Terrain

The variable CO\$ (line 30) defines the keys which identify various terrain types. Currently, CO\$ contains the string "PMWT". A loop (lines 470 to 490) checks the key press against those key presses identified in the string. Thus, if P is pressed, terrain type 0 (plains) is drawn; if M is pressed; type 1 (mountains) is drawn, etc.

How to Examine or Modify the Terrain Types

Since *Quick Draw* (CORE Graphics issue) was used to create the terrain for Map Maker, it is easy to modify or add to the character set "Editor.C." The current character set only defines four types of terrain and the character, but Map Maker can identify up to sixteen.

In order to examine, modify, or add to Map Maker's character set, run the *Quick Draw Editor*.

EXEC START

The size of the blocks used by Map Maker are two by two. Once the block display appears on the screen, ctrl D will allow the user to load the character set, EDITOR.C. The locations for the various terrain types are given below:

Terrain	ASCII Code	Figure
0	#00	Prairies
1	#04	Mountains
2	#08	Water
3	#12	Towns
-	#60	Character

To display the block containing the prairie terrain, press G (GET block) and enter the ASCII code #00. The block containing the "prairie" will appear. Should you wish to modify this drawing, use the normal *Quick Draw* commands (CORE Graphics issue, page 42). When you have completed your revision, you will need to put (P) the character back in the set and save (ctrl D) the newly revised "Editor.C".

Creating New Terrain

New terrain types should be stored in ASCII locations #16-#56. For example, if you wish to add a castle to your list of figures, press G (GET) and enter #16. The letters P through S will appear. Erase these figures by pressing the ! key. Now draw your dream castle!

When you have completed your castle, press P (PUT) to store the figure to the character set at location #16. Then save (ctrl D) the new "Editor.C".

In order to use your castle, change CO\$ at line 30 to "PMWTC" and SAVE EDITOR. Your castle will be drawn exactly as the other terrain types, using the C key.

The Display Routine

The display routine in "Editor" draws on both of the hi-res pages. This prevents any flickering effect but takes up a tremendous amount of space (16K). The sequence for this routine is presented here:

lines 320-330 Draw on the hi-res page not currently on the screen.

line 340 Call Display Map.

line 350 Flip to the new page.

Location 230 contains the offset of the page on which the user wants to draw. POKE 230,32 will draw on page one, while POKE 230,64 will draw on page two. Both "Display Map" and Applesoft use this location when determining the page to draw on. Likewise, there are two pokes that control which page is being viewed: POKE -16299,0 displays page one, POKE -16300,0 will display page 2.

Lines 270 to 350 control the actual drawing of the map. Every time the map is to be drawn, this routine is called. X and Y point to the position on the map. "Display Map" shows a predetermined terrain type (water) when the character wanders off the screen.

Map Maker should make it easy to create a map to be used for your own adventures. Now all that remains is to write the game!

Make Tables

```

1 HOME
6 DEF FN MOD(A) = INT ((A / 8 -
  INT (A / 8)) * 8 + .05) * SGN
  (A / 8)
8 YL = 2306:YH = YL + 192
9 FOR Y = 0 TO 191
10 A = FN MOD(Y)
20 B = FN MOD(Y / 8)
30 C = INT (Y / 64)
40 YA = A * 1024 + B * 128 + C *
  40
50 POKE YH + Y, YA / 256
60 POKE YL + Y, YA - INT (YA / 2
  56) * 256
65 VTAB 12: HTAB 10: PRINT Y" "
70 NEXT
75 HOME
80 FOR Y = 0 TO 23: POKE 2250 +
  Y, Y * 8: VTAB 12: HTAB 10: PRINT
  Y" ": NEXT
85 YL = 2274:YH = YL + 16
90 FOR Y = 0 TO 15
95 IF Y > 7 THEN T = 12
100 A = INT ((Y * 32 + 2816) / 2
  56):B = (Y * 32 + 2816) - A *
  256
102 POKE YL + Y, B: POKE YH + Y, A
105 VTAB 12: HTAB 10: PRINT Y" "
110 NEXT
120 PRINT CHR$(4)"BSAVE TABLES
  ,A$8CA,L$1B8"

```

KEYS TO CREATE TERRAIN

P Terrain type 0: PLAIN
M Terrain type 1: MOUNTAINS
W Terrain type 2: WATER
T Terrain type 3: TOWNS
ESC Turns off any drawing in effect

MOTION COMMANDS

ctrl Q UP
ctrl A LEFT
ctrl S RIGHT
ctrl Z DOWN

OTHER FEATURES

- @ Erase the current map. This command must be verified by typing the full word YES or NO when asked.
- ctrl X Exits the program.
- ctrl P Shows the current position and terrain numbers and allows the user to move to another location on the map (RETURN defaults to the current position).
- ctrl D Allows the loading and saving of maps (ESC or N exits from this mode).

Editor

```
10 REM
    PLACE PROGRAM HIGH IN MEM
20 IF PEEK (103) = 1 AND PEEK
    (104) = 96 THEN 40
30 POKE 103,1: POKE 104,96: POKE
    24576,0: PRINT CHR$(4)"RUN
    EDITOR"
40 D$ = CHR$(4): REM CTRL D
50 C0$ = "PMWF": REM TERRAIN LIST
60 HP = 16 * 14 + 6: REM HIRES P
    AGE (32=PAGE 1, 64=PAGE 2)
70 PG = - 16300: PRINT : PRINT D
    $"PR#0": PRINT D$"IN#0": REM
    DISCONNECT PLE
80 IF PEEK (2051) + PEEK (2052
    ) + PEEK (2053) = 296 THEN
    110
90 PRINT D$"BLOAD TABLES": PRINT
    D$"BLOAD EDITOR.C,A$B00"
100 PRINT D$"BLOAD CLEAR.OBJ,A$3
    00": PRINT D$"BLOAD DISPLAY
    MAP,A$B03"
110 G$ = CHR$(7): REM BELL
120 POKE 5,2
130 HGR
140 POKE - 16302,0
150 X = 0:Y = 0
160 TR = - 1
170 CV = 2:CH = 4
180 POKE CH,247:Y3 = - 5 * 64 +
    4096
190 POKE CV + 1,Y3 / 256: POKE C
    V,Y3 - INT (Y3 / 256) * 256
200 POKE HP,64: POKE CV + 1,Y3 /
    256: POKE CV,Y3 - INT (Y3 /
    256) * 256
210 POKE - 16304,0
220 POKE PG,0: REM USE HIRES PA
    GE 1 OR 2
230 POKE - 16302,0
240 IF Y < 0 THEN Y = 64 + Y: GOTO
    260
250 IF Y > 63 THEN Y = Y - 64
260 LO = Y * 64 + X + 4096
270 IF TR < 0 THEN 290
280 IF Y < 64 AND X < 64 THEN POKE
    LO,TR
290 X2 = X - 9: IF X2 < 0 THEN X2
    = X2 + 256
300 Y2 = Y - 5
310 POKE CH,X2
320 Y3 = Y2 * 64 + 4096
330 POKE CV + 1,Y3 / 256: POKE C
    V,Y3 - INT (Y3 / 256) * 256
```

Checksums for Make Tables

1 - \$B25C	50 - \$4754	95 - \$EAB6
6 - \$3802	60 - \$434E	100 - \$8405
8 - \$A0BB	65 - \$0B28	102 - \$C17C
9 - \$7BBB	70 - \$4A99	105 - \$09AB
10 - \$2C22	75 - \$17AB	
20 - \$45A4	80 - \$C441	110 - \$7AD7
30 - \$9D66	85 - \$A31D	120 - \$D3BB
40 - \$95FB	90 - \$AC80	

```
340 IF PEEK (HP) = 32 THEN POKE
    HP,64:PG = - 16299: GOTO 36
    0
350 POKE HF,32:PG = - 16300
360 CALL 2051
370 IF QQ = 0 THEN QQ = 1: GOTO
    650
380 POKE PG,0
390 REM
    GET COMMAND AND PROCESS
400 GET A$
410 IF A$ = CHR$(17) THEN Y =
    Y - 1: GOTO 240
420 IF A$ = CHR$(26) THEN Y =
    Y + 1: GOTO 240
430 IF A$ = CHR$(1) THEN :X =
    X - 1: GOTO 540
440 IF A$ = CHR$(19) THEN X =
    X + 1: GOTO 540
450 IF A$ = CHR$(27) THEN TR =
    - 1: GOTO 240
460 IF A$ = "@" THEN 650
470 IF A$ = CHR$(24) THEN TEXT
    : HOME : PRINT "GOOD BYE": END
480 IF A$ = D$ THEN 720
490 IF A$ = CHR$(16) THEN 850
500 FOR I = 1 TO LEN (C0$)
510 IF A$ = MID$(C0$,I,1) THEN
    TR = I - 1: GOTO 240
520 NEXT
530 PRINT G$: GOTO 240
540 IF X < 0 THEN X = 64 + X: GOTO
    240
550 IF X > 63 THEN X = X - 64: GOTO
    240
560 GOTO 240
570 REM
```

FIND OUT WHAT IS WHERE

```
580 REM X2=HORZ POS, Y2=VERT PO
    S ON MAP
590 REM R1=VALUE HERE (TERRAIN)
    , R2=SUB TERRAIN
600 LO = Y2 * 64 + X2 + 4096:R2 =
    PEEK (LO)
610 R1 = R2 - INT (R2 / 8) * 8
620 R2 = R2 - R1
630 RETURN
640 REM
```

CLEAR MAP MEMORY

```
650 TEXT : HOME
660 VTAB 12: INPUT "ERASE MAP (Y
    ES/NO)? ";A$
670 IF A$ < > "YES" THEN 210
680 X = 0:Y = 0
690 CALL 768
700 NORMAL : GOTO 210
710 REM
```

CALL DOS

```
720 TEXT : HOME
730 PRINT : PRINT D$"CATALOG"
740 GET A$
750 VTAB 22: CALL 64578: PRINT "
    LOAD OR SAVE A MAP ?": GET
    A$: PRINT
760 IF A$ = CHR$(27) OR A$ = "
    N" THEN 210
```



```

770 IF A$ < > "S" AND A$ < > "
L" THEN PRINT "ILLEGAL ENTR
Y";G$;G$: FOR I = 1 TO 700: NEXT
I: GOTO 750
780 IF A$ = "S" THEN A$ = "BSAVE
":L$ = ",A$1000,L$1000"
790 IF A$ = "L" THEN A$ = "BLOAD
":L$ = ",A$1000"
800 PRINT : PRINT "ENTER MAP TO
":A$:
810 INPUT " >";NAS
820 PRINT D$A$NASL$
830 GOTO 210
840 REM

```

SHOW POSITION IN MAP

```

850 TEXT : HOME
860 PRINT "CURRENT POSITION IS"
870 HTAB 5: PRINT "X POS:"X
880 HTAB 5: PRINT "Y POS:"Y
890 GOSUB 1060: IF ER THEN 910
900 X2 = X:Y2 = Y: GOSUB 580
910 PRINT : PRINT "TERRAIN TYPE
IS: "R1: PRINT. "SUB-TERRAIN
IS: "R2
920 PRINT : PRINT : PRINT "CHIANG
E POSITION (Y/N)?" : GET A$
930 PRINT
940 IF A$ < > "Y" THEN 1030
950 PRINT

```

```

960 INPUT "ENTER X POS:";X$
970 IF X$ = "" THEN 990
980 X = INT ( VAL (X$))
990 CALL 64538: PRINT "ENTER X P
OS:"X: PRINT : INPUT "ENTER
Y POS:";Y$
1000 IF Y$ = "" THEN 1020
1010 Y = INT ( VAL (Y$))
1020 CALL 64538: PRINT "ENTER Y
POS:"Y
1030 GOSUB 1060: IF ER THEN PRINT
G$: FOR I = 1 TO 900: NEXT I
: GOTO 850
1040 PRINT : PRINT : PRINT "PLEA
SE PRESS A KEY TO CONTINUE";
: GET A$: PRINT
1050 GOTO 210
1060 PRINT :ER = 0: IF Y > 63 THEN
PRINT "YOU ARE OFF THE BOTT
OM OF THE SCREEN": PRINT :ER
= 1
1070 IF Y < 0 THEN PRINT "YOU A
RE OFF THE TOP OF THE SCREEN
": PRINT :ER = 1
1080 IF X < 0 THEN PRINT "YOU A
RE OFF THE LEFT EDGE OF THE
SCREEN": PRINT :ER = 1
1090 IF X > 63 THEN PRINT "YOU
ARE OFF THE RIGHT EDGE OF TH
E SCREEN":ER = 1
1100 RETURN

```

Checksums for Editor

10 - \$BADD	290 - \$9C9D	570 - \$4618	840 - \$991F
20 - \$6FA1	300 - \$4902	580 - \$EF1F	850 - \$35A2
30 - \$A40B	310 - \$003F	590 - \$940D	860 - \$7156
40 - \$840E	320 - \$74BB	600 - \$635F	870 - \$2500
50 - \$5C9C	330 - \$C862		880 - \$F2A2
60 - \$35BE	340 - \$B9EF	610 - \$E2B1	890 - \$BD18
70 - \$F79D	350 - \$2F61	620 - \$B3E8	900 - \$54D8
80 - \$A092	360 - \$B33F	630 - \$BC22	910 - \$C8C5
90 - \$31FE	370 - \$5F4C	640 - \$FD93	920 - \$675F
100 - \$7756	380 - \$68B1	650 - \$516F	930 - \$2E8E
110 - \$93F8	390 - \$6D5D	660 - \$F69A	940 - \$23CC
120 - \$A286	400 - \$65FC	670 - \$A049	950 - \$81DE
130 - \$172B		680 - \$5CCE	960 - \$FOFE
140 - \$817E	410 - \$CAB9	690 - \$C7C6	970 - \$B8D8
150 - \$3690	420 - \$07F5	700 - \$84FE	980 - \$0918
160 - \$9E55	430 - \$7F9C	710 - \$895C	990 - \$4396
170 - \$D39C	440 - \$911B	720 - \$C0BA	1000 - \$42AF
180 - \$0029	450 - \$4558	730 - \$189F	
190 - \$6071	460 - \$2D9B	740 - \$EC62	1010 - \$D6DF
200 - \$2572	470 - \$7315	750 - \$B645	1020 - \$B75D
	480 - \$61EF	760 - \$F580	1030 - \$E43D
210 - \$DC5A	490 - \$5A44	770 - \$3A0C	1040 - \$6A6E
220 - \$A1C0	500 - \$9EC2	780 - \$7CDD	1050 - \$54CB
230 - \$6E77	510 - \$960C	790 - \$59A1	1060 - \$9092
240 - \$1422	520 - \$2B81	800 - \$BD1D	1070 - \$F23B
250 - \$441E	530 - \$EDD4		1080 - \$FF93
260 - \$B41E	540 - \$425D	810 - \$698D	1090 - \$C78D
270 - \$2D5C	550 - \$C526	820 - \$EAF2	1100 - \$0A23
280 - \$08C9	560 - \$302D	830 - \$ADB4	

Display Map

BEG: 803 END: 8C9

0003- A2 00 86 24 86	\$88D2
0008- 25 A6 04 86 06 A2 02 86	\$CAF7
0010- 08 A5 25 C9 0A D0 0A A5	\$07E2
0018- 24 C9 12 D0 04 A9 0F D0	\$1BCF
0020- 20 A4 06 C0 40 90 04 A5	\$8735
0028- 05 10 14 A6 03 E0 20 90	\$24D2
0030- 04 A5 05 10 0A E0 10 B0	\$5E8B
0038- 04 A5 05 10 02 B1 02 29	\$21F6
0040- 0F A8 04 01 B9 E2 08 8D	\$4481
0048- 6D 08 B9 F2 08 8D 6E 08	\$3CF2
0050- A2 00 86 00 A6 25 BC CA	\$182D
0058- 08 04 D3 A6 00 B9 02 09	\$E8BF
0060- 05 D4 18 B9 C2 09 65 E6	\$A5E0
0068- 05 D5 A4 24 BD FF FF 91	\$3304
0070- D4 E6 D3 A4 D3 E8 E0 10	\$239B
0078- 90 E3 F0 08 E0 20 90 DD	\$8FE2
0080- A2 00 86 00 C6 08 F0 0E	\$545F
0088- A4 24 C8 C0 28 F0 14 84	\$E01B
0090- 24 18 86 00 90 BE E6 24	\$EAD6
0098- A4 24 E6 06 C0 28 B0 03	\$A6CB
00A0- 4C 0D 08 A0 00 84 24 A4	\$DB28
00A8- 25 C8 C8 04 25 C0 18 90	\$A75A
00B0- 05 C6 25 C6 25 60 A5 03	\$6A57
00B8- C9 20 B0 0B A5 02 18 69	\$66E3
00C0- 40 85 02 90 02 E6 03 4C	\$708B
00C8- 09 08	\$38E6

Advertising Index

Applied Engineering	20
Ardath, Inc.	inside back, back
Central Point Software	15
Computer Learning Center	16-17
Golden Delicious Software	13
Micro Analyst	inside front
Microware Distributing	5
RC Electronics	11
SoftKey Publishing	19,20,30
Utilico Software	3

Editor.C BEG: E00 END: FFF

0E00-	A4	80	80	84	A0	80	80	84	\$N2C6
0F00-	80	88	80	80	80	82	88	80	\$1E6F
0E10-	80	A0	82	80	80	88	80	81	\$8E79
0E18-	80	88	80	A1	80	80	A0	82	\$0994
0E20-	A0	00	88	84	82	81	00	A2	\$5B05
0E28-	95	88	84	00	A0	90	88	87	\$E0C7
0E30-	80	80	89	96	A0	C1	82	84	\$245F
0E38-	08	80	A0	8F	88	90	A0	00	\$6FBC
0E40-	80	A2	05	88	80	91	A0	C4	\$3FCA
0E48-	80	A2	05	88	80	91	AA	C4	\$6F5C

0E50-	80	C4	AA	91	80	A2	05	88	\$5F80
0E58-	80	C4	AA	91	80	A2	05	88	\$6F9C
0E60-	C2	FF	C2	DA	DA	0A	C2	FF	\$8F06
0E68-	C2	CA	DA	DA	C2	FF	C2	DA	\$8E16
0E70-	90	FF	90	04	94	06	90	FF	\$9611
0E78-	90	06	02	06	90	FF	90	02	\$1EE7
0E80-	E1	00	00	E1	F0	F0	F0	FF	\$6668
0E88-	E3	00	00	00	05	E0	03	FF	\$8C77
0E90-	E1	00	00	E1	F5	F0	00	FF	\$2000
0E98-	E3	00	FD	E3	0F	00	E3	FF	\$209C

0EA0-	C1	F7	F7	F7	F7	F7	F7	FF	\$8EC8
0EA8-	00	00	00	00	00	00	E3	FF	\$273F
0EB0-	00	00	00	E0	EB	F3	F7	FF	\$8387
0EB8-	00	00	00	05	05	C9	00	FF	\$F5A8
0EC0-	00	E0	EB	F7	EB	E0	00	FF	\$899E
0EC8-	00	E0	EB	F7	F7	F7	F7	FF	\$0A2B
0ED0-	C1	E7	EF	F7	FB	F0	C1	FF	\$940C
0ED8-	C1	F9	F9	F9	F9	F9	C1	FF	\$2AF7
0EE0-	FF	FD	FB	F7	EF	0F	FF	FF	\$88AF
0EE8-	C1	CF	CF	CF	CF	CF	C1	FF	\$54A8

0EF0-	FF	FF	F7	EB	00	FF	FF	FF	\$C19A
0EF8-	FF	FF	FF	FF	FF	FF	FF	00	\$6E35
0F00-	00	00	00	00	00	00	00	00	\$8E25
0F08-	08	08	08	08	08	08	08	00	\$A685
0F10-	14	14	14	00	00	00	00	00	\$C6FB
0F18-	28	94	7E	14	8F	8A	0A	00	\$4B48
0F20-	08	3C	0A	1C	28	1E	08	00	\$5E22
0F28-	06	26	10	08	04	32	30	00	\$D7F8
0F30-	04	0A	0A	04	2A	12	2C	00	\$83C4
0F38-	08	08	08	00	00	00	00	00	\$F3C8

0F40-	08	04	02	02	02	04	08	00	\$2557
0F48-	08	10	20	20	20	10	08	00	\$C53F
0F50-	08	2A	1C	08	1C	2A	08	00	\$1D3B
0F58-	00	08	08	3E	08	08	00	00	\$E300
0F60-	00	00	00	00	00	0C	88	04	\$F3B4
0F68-	00	00	00	3E	00	00	00	00	\$D1E7
0F70-	00	00	00	00	00	0C	00	00	\$9358
0F78-	00	20	10	08	04	02	00	00	\$C1EA
0F80-	8C	92	22	22	22	92	8C	00	\$A7F0
0F88-	08	0C	08	08	08	1C	00	00	\$50FF

0F90-	1C	22	20	10	84	02	3E	00	\$A2E0
0F98-	3E	90	10	18	20	22	1C	00	\$5310
0FA0-	10	18	14	12	3E	10	10	00	\$C875
0FA8-	3E	02	1E	20	20	22	1C	00	\$9603
0FB0-	18	04	02	1E	22	22	1C	00	\$2E21
0FB8-	3E	90	10	88	08	04	04	00	\$2F53
0FC0-	1C	22	22	1C	22	22	1C	00	\$1777
0FC8-	1C	22	22	3C	90	10	0C	00	\$C2E6
0FD0-	00	00	8C	00	00	8C	00	00	\$F414
0FD8-	00	00	8C	00	00	8C	88	04	\$F28C

0FE0-	E0	E0	E2	C2	C4	F8	00	00	\$1B37
0FE8-	00	00	A0	90	88	88	88	00	\$5397
0FF0-	81	81	A1	A0	90	8F	80	00	\$75E8
0FF8-	80	80	81	82	84	84	84	00	\$850E

We Are Not PIRATES But We Can Show You How To UNLOCK LOCKED SOFTWARE

CORE
IN-DEPTH COVERAGE
of
Special Interest
Subjects

- GRAPHICS
- UTILITIES
- DATA BASES
- GAMES

With our complete program listings and step-by-step instructions

hardcore
HARD FACTS
on
APPLE SOFTWARE
An Unprecedented and Controversial disclosure of closely-held
COMPUTER SECRETS
How to: Back Up Disks
Customize
Commercial Programs
Undo Copy-Protection & More!

YOU CAN, TOO!

CORE is published quarterly
HARDCORE
Computist is published 3 times yearly

Make checks and money orders payable to: **CORE / HARDCORE Computist**
P.O. Box 44549-3 Tacoma, WA 98444

() Renewal
() New Subscriber **\$25.00** for 8 issues of HARDCORE Canada: **\$34.00**
COMPUTIST and 4 issues of CORE. Mexico: **\$37.00**
Overseas, foreign countries: **\$47.00.**

Name: _____
Address: _____
City: _____ State: _____
Country: _____ Zip _____

*Payment must accompany order. U.S. funds only.

Display Map.S

```

1000 .....
1010 *
1020 * HI-RES CHARACTER *
1030 * GENERATOR *
1040 * DISPLAY MAP.S *
1050 *
1060 * BY *
1070 *
1080 * ROBB S. CANFIELD *
1090 *
1100 *
1110 *
1120 .....

```

```

1130
1140
1150
1160 *
1170 * LOCATIONS USED IN THE PROGRAM
1180 *
1190

```

```

1200 WNDBTM .EQ $23      BOTTOM OF TEXT WINDOW
1210
1220 INV.FLAG .EQ $32    THE INVERSE FLAG.
1230
1240
1250
1260 B .EQ $B00
1270 VERTSAVE .EQ $03    VERTICAL POSITION SAVE AREA
1280 SPOT .EQ $04        LOCATION TO PLACE CHARACTER
1290 CV .EQ $25          CURSOR VERTICAL POSITION
1300 CH .EQ $24          CURSOR HORIZONTAL POSITION
1310 HORZ2 .EQ $8        BLOCKS HORIZONTALLY
1320 CHAR .EQ $01        CHARACTER WE ARE ON
1330 TEMP .EQ $00
1340 MAP .EQ $02,$03     LOCATION OF START OF MAP
1350 HORZ.POS.ORG .EQ $04 ORIGINAL HOZ POS
1360 RANGE .EQ $05       CHARACTER TO PRINT
1370 HORZ.POS .EQ $06
1380 HIRES.PAGE .EQ $E6
1390
1400
1410
1420
1430 VERTICAL .EQ $8CA   VERTICAL LINE OFFSET
1440 CHRLOW .EQ $8E2
1450 CHRHIGH .EQ $8F2
1460 TABLELOW .EQ $902
1470 TABLEHIG .EQ $9C2
1480
1490
1500
1510
1520 .OR $803
1530 .TF DISPLAY MAP
1540
1550 *
1560 * SET FOR HOOK UP WITH PRINT
1570 *
1580
1590 MAKE.MAP LDX #$00    HOME SCREEN
1600 STX CH
1610 STX CV
1620 DRAW1 LDX HORZ.POS.ORG
1630 STX HORZ.POS
1640
1650 DRAW LDX #$2         GET BLOCK SIZES
1660 STX HORZ2
1670 LDA CV              CHECK FOR CENTER
1680 CMP #10
1690 BNE TABLE
1700 LDA CH

```

```

1710 CMP #18
1720 BNE TABLE
1730 LDA #$0F            PRINT CHARACTER
1740 BNE CHR/BL1       ...ALWAYS
1750 LUY HORZ.FUS
1760 CPY #64           CHECK FOR HORZ RANGE
1770 BLT .4
1780 LDA RANGE
1790 BPL .2             ...ALWAYS
1800 .4 LDX MYP+1       CHECK RANGES (ABOVE)
1810 CPX #$20
1820 BLT .1
1830 LDA RANGE
1840 BPL .2             ...ALWAYS
1850 .1 CPX #$10       (LOW)
1860 BGE .3
1870 LDA RANGE
1880 BPL .2             ...ALWAYS
1890 .3 LDA (MAP),Y    TABLE LOCATION
1900 .2 AND #$0F       CLEAR HIGH NIBBLE
1910 CHARTR 1 TAY
1920 STY CHAR
1930 LDA CHRLOW,Y      FIND WHERE CHARACTER IS
1940 STA GET+1
1950 LDA CHRHIGH,Y    GET HIGH BYTE POSITION
1960 STA GET+2
1970 LDX #$00
1980 STX TEMP
1990 AGAIN LDX CV      FIND VERTICAL POSITION ON
2000 LDY VERTICAL,X
2010 STY VERTSAVE
2020 LDX TEMP          RESET LOOP FOR CHARACTER
2030 PUTCHAR LDA TABLELOW,Y GET ACTUAL LOCATION
2040 STA SPOT
2050 CLC
2060 LDA TABLEHIG,Y
2070 ADC HIRES.PAGE   GET HIRES PAGE TO DRAW TO
2080 STA SPOT+1
2090 LDY CH           GET HORIZONTAL POSITION
2100 GET LDA $FFFF,X   GET CHARACTER
2110 STA (SPOT),Y
2120 INC VERTSAVE     GET NEXT LINE ON SCREEN
2130 LDY VERTSAVE
2140 INX              DONE?
2150 CPX #16
2160 BLT PUTCHAR     DONE? NO SO CONTINUE
2170 BEQ .1
2180 CPX #32         DONE?
2190 BLT PUTCHAR
2200 LDX #$00
2210 STX TEMP
2220 .1 DEC HORZ2
2230 BEQ GOODBYE
2240 LDY CH
2250 INY
2260 CPY #40
2270 BEQ CR
2280 STY CH
2290 CLC
2300 STX TEMP        SAVE CURRENT PLACE IN CHARACTER
2310 BCC AGAIN
2320 GOODBYE INC CH   MY OWN ADVANCE ROUTINE
2330 LDY CH
2340 INC HORZ.POS
2350 CPY #40
2360 BCS CR          SIMULATE A LONG BCC TO DRAW
2370 JMP DRAW
2380 CR LDY #$00     MY OWN CARRIAGE RETURN CONTROL
2390 STY CH
2400 LDY CV          MOVE DOWN TWO
2410 INY
2420 INY
2430 STY CV
2440 CPY #24         AT END OF SCREEN?
2450 BCC CONTINUE

```



```

2460      DF: CV
2470      DEC CV
2480 GOODBYE2 RTS
2490
2500
2510 CONTINUE
2520      LDA MAF+1      GET NFX1 LINE
2530      CMP #520      CHECK FOR OVER RANGE
2540      BGE .1
2550      LDA MAF
2560      CLC
2570      ADC #64
2580      STA MAF
2590      BCC .1
2600      INC MAF+1
2610 .1      JMP DRAW1
2620      }

```

Clear

```

1000 *-----
1010 * THIS ROUTINE FILLS MEMORY
1020 * FROM $1000 TO $1FFF WITH THE
1030 * CHARACTER AT $0
1040 *-----
1050
1060
1070
1080
1090      .OR $300      PLACE THE ROUTINE AT PAGE 3
1100      .TF CLEAR.OBJ
1110
1120
1130 REPLACE.BYTE .EQ $00      THE CHARACTER TO PLACE
1140
1150 TARGET      .EQ $3C      THE LOCATION TO PLACE DATA
1160
1170 CLEAR      LDA #$00      RESET TARGET LOCATION TO $1000
1180      STA TARGET
1190      LDA #$10
1200      STA TARGET+1
1210      LDA REPLACE.BYTE GET THE REPLACE BYTE
1220      LDX #$10      COUNTER FOR NUMBER OF PAGES
1230 LOOP      LDY #$00      RESET OFFSET
1240 LOOP1      STA (TARGET),Y SAVE BYTE
1250      DEY      GET NEXT BYTE
1260      BEQ NEXT      DONE?, IF SO UPDATE TARGET BYTE
1270      JMP LOOP1      REPLACE NEXT BYTE
1280
1290 NEXT      DEY      DECREMENT COUNTER FOR PAGES
1300      BEQ END      IF ZERO THEN WE ARE DONE
1310      INC TARGET+1      OTHERWISE, UPDATE THE HIGH BYTE
1320      BNE LOOP      AND DO ANOTHER PAGE
1330
1340 END      RTS      RETURN TO CALLER}

```

Clear.Obj

BEG: 300 END: 31D

```

0300- A9 00 85 3C A9 10 85 3D : $51E3
0300- A5 00 A2 10 A0 00 91 3C : $A4E7
0310- 88 F0 03 4C 0E 03 CA F0 : $F8CB
0310- 04 E6 3D D0 EF 60      : $2D0E

```

Copy II Plus Parm

continued from page 25

WIZARD & PRINCESS (SOL)
0-22

WIZARDRY (SIR)

Boot Side:

0-23 10=96, 24=96, D=1

Write protect back-up before using.

Scenario:

0-22 10=96, 24=96, D=1

Alternate for Boot Side

Use Copy Disk, then

A-E 10=96, 24=96, D=1, 4B=1

Write protect copy before using.

Alternate for Scenario Side

A-E 10=96, 24=96, D=1, 4B=1

DO NOT write protect.

WIZ MAKER (UNK)

0-22 D=1, 24=96, 10=96, 34=1,
8=1

WRITE AWAY (MWS)

Use Copy Disk

Z

ZARGS (IN)

Same as Spider Raid

ZOOM GRAPHICS (PHO)

0-22 10=96, 9=0

ZOOM GRAPHICS (New version) (PHO)

0 10=96

2-22 step 2 9=0, 8=1, 3E=2

1-21 step 2 E=D4

ZORK I, II, III (IC)

0-22 10=96, 1E=BC

Alternative Method for Zork II

0-23 10=96, 9=0, 3F=1





Perform Magic with WIZARD BPO Buffered Parallel Output Card

16K, expandable to 32K

Invaluable to the busy computist! Now you can continue working at your keyboard while the job you just finished is being printed - no more sitting idle while you wait for the print function to finish! WIZARD BPO allows you to dump hi-res screen images enlarged, inversed, rotated 90 degrees, or in the standard way. Wizard dumps the image on the text screen directly to the printer, setting margins and line lengths. Detailed user's manual included.

Now \$159.00

12 -inch Green Screen MONITOR

Hi-resolution
No-Glare Finish

Only \$99.00

COST-EFFICIENT TOP QUALITY

Products for
Small Business and
Home Computers at


LOW PRICES

Washington residents add 7.8% sales tax.

To order and for more information, send a SASE to:
Ardath, Inc. - P.O. Box 9298, Tacoma, WA 98409
(206) 584-6177

AT LAST!!

An Affordable Printer



The GX-100P

80 Columns at 50cps
Tractor Feed


Three Print Modes:
Normal Print
Double Width
Graphics

Built-in self-test

All for only \$225.00

SOLO DISK DRIVE

A cost-effective technique for Apple disk storage. Plugs into your Apple controller and boots protected software. 35 track. 143K storage. Full 120-day warranty.



Only \$265.00

Controller Card for \$65.00



SUPERCHARGE YOUR APPLE

AXLON RAMDISK 320

320K Bytes of RAM (200ns) memory that functions like 2 disk drives.

Ultrafast—up to 50 times faster than floppy drives. 10 times faster than hard disk drives. Sort two full disks in 15 seconds.

Built-in power supply with 3-hour battery backup. Draws no power from your Apple and retains data with Apple turned off.


Compatible with Apple DOS 3.3, SOS, CP/M, Apple Pascal 1.1, Pascal 4.0. User can **boot directly from RAM disk.**

Includes plug-in, slot-independent interface card, plus software for diagnostic, fast load, copy routines, and business applications.

Plug-compatible with Apple II, Apple III, Franklin ACE, Basis, Bell and Howell, and other Apple-compatible computers.

Discounts for group purchases.

To order and for more information, send a SASE to:
Ardath, Inc. — 15105 Union Avenue SW
Tacoma WA 98498 Phone: 584-6177



CORE/HARDCORE COMPUTIST
P.O. Box 44549
Tacoma, WA 98444

BULK RATE
U.S. Postage
PAID
Tacoma, WA
Permit No. 269